



COLLECTION

2019/2020

ENGLISH

THE WORLD OF



MARKER ROYAL FAMILY - FREERIDE/FREESTYLE

**ONE BINDING SERIES
TO RULE THEM ALL.**

BINDINGS

TOURING

PAGE 04

NEW 2019/20

We extend our touring range by another highlight: the Kingpin M-Werks. The perfect combination of the lightweight Marker ALPINIST and the performance-oriented Kingpin made of high tech materials.

ROYAL FAMILY

PAGE 10

COMPETITION & RACE

PAGE 14

RENTAL / DEMO

PAGE 19

ACCESSORIES

PAGE 22

BINDINGS OVERVIEW

PAGE 24



PROTECTIVE SNOW EQUIPMENT

HELMETS

PAGE 27

NEW 2019/20

The brand-new CONVOY offers a completely new designed shell and perfect fit. Available in PLUS, basic and junior version.

GOGGLES

PAGE 36

NEW 2019/20

SQUADRON – the all new frameless google

PROTECTOR

PAGE 42

PSE OVERVIEW

PAGE 44



MARKER POS

PAGE 46



PLAY
TOGETHER 2



MARKER KINGPIN M-WERKS – TOURING

WE REALLY PUSHED EVERY EXISTING
TECHNOLOGY TO MAX OUT THE
POSSIBILITIES. AS A RESULT HERE
COMES THE NEW KINGPIN M-WERKS.




NEW

KINGPIN M-WERKS 12

Category	Alpine Touring
Brake width	75 - 100 mm, 100 - 125 mm
DIN range	5.0 - 12.0
Rec. skier's weight	max. 110 kg
Stand height toe/heel	18 mm / 25 mm
Toe system	PinTech
Step-in heel	Rotate Pivot
Color	Black - Red
Weight w/o / w/ brake	540 g / 620 g
Order No.	7831T1CS (75 - 100 mm) 7831T1CW (100 - 125 mm)

MARKER KINGPIN M-WERKS - FEATURES

- NEW CARBON REINFORCED PIN TOE
- NEW ERGONOMIC SKI/WALK LEVER
- NEW XXL POWER TRANSMITTER
- NEW ERGONOMIC CLIMBING AIDS
- NEW CARBON REINFORCED HEEL



DALBELLO LUPO AIR - FREETOURING

THE PERFECT MATCH –

*Developed for optimized
synergy and maximized
up- & downhill performance*



MARKER ALPINIST

I'M AN ALPINIST

2019/20

LIGHTWEIGHT
245 g without brake/ 335 g including brake
Superior feature - weight - ratio

4-9 & 6-12 DIN VERSIONS
Maximum range of adjustment
for every skier

ANTI ICE PADS
No icing under toe and heel

HEEL SIDE RELEASE

0°/5°/9° CLIMBING AID
0° walking option for long flat uphill
Easy to reach and adjust
Fast shift mode

MARKER ALPINIST 12

Category Alpine Touring
Brake width 90 mm (avalabile as accessory)
105 mm (avalabile as accessory)
115 mm (avalabile as accessory)
DIN range 6.0 - 12.0
Rec. skier's weight max. 110 kg
Toe system PinTech
Heel Alpinist Heel
Color Black - Red (C1)
Black - Titanium (C2)
Weight w/o / w/ brake 245 g (w/o), 335 g (/w)
Order No. 7833S1MA (C1)
7833S1MB (C2)



MARKER ALPINIST 9

Category Alpine Touring
Brake width 90 mm (avalabile as accessory)
105 mm (avalabile as accessory)
115 mm (avalabile as accessory)
DIN range 4.0 - 9.0
Rec. skier's weight max. 110 kg
Toe system PinTech
Heel Alpinist heel
Color Black - Turquoise (C1)
Black - Titanium (C2)
Weight w/o / w/ brake 245 g (w/o), 335 g (/w)
Order No. 7633S1MC (C1)
7633S1MB (C2)

MARKER ALPINIST 12 LONG TRAVEL

Category Alpine Touring
Brake width 90 mm
105 mm
DIN range 6.0 - 12.0
Rec. skier's weight max. 110 kg
Toe system PinTech
Heel Alpinist heel
Color Black - Titanium
Weight w/ brake 345 g
Order No. 7834S1MS (90 mm)
7834S1MW (105 mm)

MARKER ALPINIST 9 LONG TRAVEL

Category Alpine Touring
Brake width 90 mm
105 mm
DIN range 4.0 - 9.0
Rec. skier's weight max. 110 kg
Toe system PinTech
Heel Alpinist heel
Color Black - Titanium
Weight w/ brake 345 g
Order No. 7634S1MS (90 mm)
7634S1MW (105 mm)

PERFORMANCE FEATURES

Heel housing and boot flush
Simple adjustment to boot sole length

Wide drill pattern 38 mm
Excellent power transmission for a light-weight binding of this category

Active length compensation
Up to 4 mm during ski flex

Light alpinist brake (90/105/115 mm)
Easy adjustment
Ultra lightweight, 90 g only

WALKING FEATURES

Visual step-in support
Integrated rubber pads simplify the step-in

Ultralight technologies
Twin spring toe
Carbon reinforced toe

Crampon-compatible (80/90/105/120 mm)
New 80 mm crampon
Kingpin crampon also compatible

15 mm length adjustment
Allows maximum length adjustment



KINGPIN 10

Category	Backcountry Touring
Brake width	75 - 100 mm, 100 - 125 mm
DIN range	5.0 - 10.0
Rec. skier's weight	30 - 105 kg
Stand height toe/heel	21 mm
Toe system	PinTech
Step-in heel	Rotate Pivot
Color	Black - Copper
Weight w/o / w/ brake	650 g / 730 g
Order No.	7733S1MA (75 - 100 mm) 7733S1MB (100 - 125 mm)



KINGPIN 13

Category	Backcountry Touring
Brake width	75 - 100 mm, 100 - 125 mm
DIN range	6.0 - 13.0
Rec. skier's weight	< 120kg
Stand height toe/heel	21 mm
Toe system	PinTech
Step-in heel	Rotate Pivot
Color	Black - Copper
Weight w/o / w/ brake	650 g / 730 g
Order No.	7933S1MA (75 - 100 mm) 7933S1MB (100 - 125 mm)



KINGPIN 10 DEMO

Category	Backcountry Touring
Brake width	75 - 100 mm
DIN range	5.0 - 10.0
Rec. skier's weight	30 - 105 kg
Toe system	PinTech
Heel	Rotate Pivot
Color	Black - Copper
Weight w/ brake	983 g
Order No.	7734S1MA



KINGPIN 13 DEMO

Category	Backcountry Touring
Brake width	100 - 125 mm
DIN range	6.0 - 13.0
Rec. skier's weight	<120 kg
Toe system	PinTech
Heel	Rotate Pivot
Color	Black - Copper
Weight w/ brake	1001 g
Order No.	7934S1MB



F12 TOUR EPF

Category	Backcountry Touring
Size	S 265 - 325 mm L 305 - 365 mm
Brake width	110 mm
DIN range	4.0 - 12.0
Rec. skier's weight	<120 kg
Stand height toe/heel	34/36 mm
Toe system	Triple Pivot light
Afd Gliding Plate	Stainless steel
Heel	Hollow Linkage
Color	Black - Anthracite
Weight w/ brake	1096 g
Order No.	7816R1SE (S) 7816R1LE (L)



F10 TOUR

Category	Backcountry Touring
Size	S 265 - 325 L 305 - 365
Brake width	90 mm
DIN range	3.0 - 10.0
Rec. skier's weight	30 - 105 kg
Stand height toe/heel	34/36 mm
Toe system	Triple Pivot light
Afd Gliding Plate	Stainless steel
Heel	Hollow Linkage
Color	Black - White
Weight w/ brake	1056 g
Order No.	7716S1TC (S) 7716S1TD (L)



Category Ride&Hike Hardcore Freeride
Size S 265 - 325
L 305 - 365
Brake width 110 mm
DIN range 8.0 - 18.0
Rec. skier's weight 60 + kg
Stand height toe/heel 34/36 mm
Toe system Triple Pivot elite 2
Afd Gliding Plate Stainless steel
Heel Inter Pivot 2
Color Black
Weight w/ brake 1395 g
Order No. 7916S1SA
7516S1LA

DUKE PRO EPF 18



Category Ride&Hike Freeride
Size S 265 - 325
L 305 - 365
Brake width 110 mm
DIN range 4.0 - 13.0
Rec. skier's weight <120 kg
Stand height toe/heel 34/36 mm
Toe system Triple Pivot elite 2
Afd Gliding Plate Stainless steel
Heel Inter Pivot 2
Color Black
Weight w/ brake 1390 g
Order No. 7516S1SA
7516S1LA

BARON EPF 13



UPDATE
Category Hardcore Freeride/Freestyle
Brake width 90 mm
120 mm
DIN range 8.0 - 18.0
Rec. skier's weight 60 + kg
Stand height toe/heel 18/24 mm
Toe system Triple Pivot elite 2
Afd Gliding Plate Stainless steel
Heel Inter Pivot 2
Color Black - Flo-Red
Weight w/ brake 1085 g/ 1088 g
Order No. 7924S1JS (90 mm)
7924S1JB (120 mm)

JESTER 18 PRO ID



UPDATE
Category Freeride/Freestyle
Brake width 90 mm
100 mm
110 mm
DIN range 6.0 - 16.0
Rec. skier's weight 60 + kg
Stand height toe/heel 18/24 mm
Toe system Triple Pivot elite 2
Afd Gliding Plate Stainless steel
Heel Inter Pivot 2
Color Black
Weight w/ brake 1070 g
Order No. 7624S1JA (90 mm)
7624T1JD (100 mm)
7624S1JB (110 mm)

JESTER 16 ID



UPDATE
Category Freeride/Freestyle
Brake width 90 mm, 100 mm, 110 mm, 120 mm
DIN range 4.0 - 13.0
Rec. skier's weight <120 kg
Stand height toe/heel 18/24 mm
Toe system Triple Pivot elite 2
Afd Gliding Plate Stainless steel
Heel Inter Pivot 2
Color Black (C1), White (C2)
Weight w/ brake 1016 g, 1018 g, 1019 g, 1022 g
Order No. C1/C2
7524S1GA (90 mm), 7524T1GG (100 mm),
7524S1GB (110 mm), 7524S1GC (120 mm)/
7524S1GD (90 mm), 7524T1GH (100 mm),
7524S1GE (110 mm), 7524S1GF (120 mm)

GRIFFON 13 ID



UPDATE
Category Freeride/Freestyle
Brake width 90 mm, 100 mm (only C1+C3), 110 mm
DIN range 3.0 - 11.0
Rec. skier's weight 30 - 110 kg
Stand height toe/heel 18/24 mm
Toe system Triple Pivot light
Afd Gliding Plate Stainless steel
Heel Hollow Linkage
Color White (C1), Teal - Black (C2), Black (C3)
Weight w/ brake 1016 g, 1018 g, 1019 g, 1022 g
Order No. C1/C2/C3
7424S1MA (90 mm), 7424T1MG (100 mm)
7424S1MB (110 mm)/ 7424T1MC (90 mm)
7424T1MD (110 mm)/ 7424S1ME (90 mm),
7424T1MH (100 mm), 7424S1MF (110 mm)

SQUIRE 11 ID

SOLE.ID - EASY & COMFORTABLE



Compatible with every kind of ski boot
ISO alpine 5355 & touring boot 9523

Easy to handle

Uncompromising performance

Height adjustable gliding plate to fit for any kind of
ski boot (alpine ISO 5355 and touring ISO 9523)



UPDATE

Category Junior Freeride
(+ screw kit)
Brake width 85 mm,
100 mm
DIN range 3.0 - 10.0
Rec. skier's weight 30 - 105 kg
Stand height toe/heel 18/20 mm
Toe system Triple Pivot light
Afd Gliding Plate Gliding AFD
Heel Compact 3
Color black - white
Weight w/ brake 750 g
Order No. 7224T1MA
7224T1MB

FREE TEN ID



NEW

Category Junior Freeride
Brake width 85 mm
DIN range 2.0 - 7.0
Rec. skier's weight 24-75 kg
Stand height toe/heel 15/22 mm
Toe system 4-linkage jr2
Afd Gliding Plate Active AFD
Heel Junior
Color Black (C1), White - Silver (C2)
Weight w/ brake 572 g
Order No. 6224T1MS
6224T1MW

FREE 7



MARKER ROYAL FAMILY - FREERIDE/FREESTYLE

ONE BINDING SERIES
TO RULE THEM ALL.

2019/20

COMPETITION & RACE



Category	Race
Brake width	85 mm
DIN range	6.0 - 16.0
Rec. skier's weight	60 + kg
Stand height toe/heel	15 mm / 18 mm
Toe system	Xcell
Afd Gliding Plate	Stainless steel
Heel	TCX
Color	Black - Flo-Red (C1), White - Black - Red (C2)
Weight w/ brake	1199 g
Order No.	6920R1MS (C1), 6920S1TC (C2)



Category	Race
Brake width	85 mm
DIN range	4.0 - 12.0
Rec. skier's weight	<120 kg
Stand height toe/heel	15 mm / 18 mm
Toe system	Xcell
Afd Gliding Plate	Stainless steel
Heel	TCX
Color	Black - Flo-Red (C1), White - Black - Red (C2)
Weight w/ brake	1168 g
Order No.	6820R1MS (C1), 6820S1TC (C2)



Category	Race Competition
Brake width	85 mm
DIN range	12.0 - 24.0
Rec. skier's weight	60 + kg
Stand height toe/heel	15 mm / 18 mm
Toe system	Xcell
Afd Gliding Plate	Stainless steel
Heel	TCX
Color	Black-flo-red (C1), White-Black-Red (C2)
Weight w/ brake	1327 g
Order No.	7130R1MS (C1) 7130S1TC (C2)



Category	Race Junior
Brake width	85 mm
DIN range	3.0 - 10.0
Rec. skier's weight	30 - 105 kg
Stand height toe/heel	15 mm / 18 mm
Toe system	2linkage
Afd Gliding Plate	Stainless steel
Heel	TCX
Color	Black - Flo-Red (C1), White - Black - Red (C2)
Weight w/ brake	1083 g
Order No.	6520R1MT (C1) 6521S1TC (C2)



Category	Race Competition
Brake width	85 mm
DIN range	8.0 - 18.0
Rec. skier's weight	60 + kg
Stand height toe/heel	15 mm / 18 mm
Toe system	Xcell
Afd Gliding Plate	Stainless steel
Heel	TCX
Color	Black-Flo-Red (C1), White-Black-Red (C2)
Weight w/ brake	1303 g
Order No.	7130R1MS (C1) 7130S1TC (C2)



X-CELL - Incredible power transmission



X-cell Toe

- Incredible power transmission
- Greater precision and control
- Boot stays centered / Increased retention
- X-Cell Piston absorbs short, initial impacts



TCX HEEL

- Increased vertical energy absorption
- Increased boot lug purchase
- Wider Heel connection
- Better power transmission



Category	Race Junior
Brake width	85 mm
DIN range	3.0 - 10.0
Rec. skier's weight	30 - 105 kg
Stand height toe/heel	15 mm / 20 mm
Toe system	2linkage
Afd Gliding Plate	Stainless steel
Heel	Compact 3
Color	black - flo-red (C1), white - black - red (C2)
Weight w/ brake	833 g
Order No.	6520R1MS (C1) 6520S1TC (C2)



Category	Race Junior
Brake width	85 mm
DIN range	2.0 - 8.0
Rec. skier's weight	25 - 100 kg
Stand height toe/heel	15 mm / 20 mm
Toe system	2linkage
Afd Gliding Plate	Stainless steel
Heel	Compact 3
Color	black - flo-red (C1), white - black - red (C2)
Weight w/ brake	833 g
Order No.	6520R1MS (C1) 6520S1TC (C2)



WORLD CUP PC INTERFACE

	WC PC Interface 10 mm	WC PC Interface 14 mm
Category	Competition & Race	Competition & Race
Stand height System / Heel	12 mm / 10 mm	16 mm / 14 mm
Width / Length	59 / 542 mm	59 / 542 mm
Sole Length	260 - 362 mm	260 - 362 mm
Color	Black	Black
Weight (pair)	644 g	709 g
Order No.	2020R1SS	2022R1SS



JUNIOR RACE INTERFACE

Category	Competition & Race
Stand height System / Heel	14 mm / 16 mm
Width / Length	59 / 542 mm
Sole Length	210 - 334 mm
Color	Black
Weight (pair)	335 g
Order No.	2027O1MB



NEW

X-CELL 16 GW

Category	All Mountain Race
Brake width	90 mm
DIN range	6.0 - 16.0
Rec. skier's weight	60 + kg
Stand height toe/heel	15 mm / 18 mm
Toe system	Xcell
Afd Gliding Plate	Stainless steel
Heel	TCX
Color	Black
Weight w/ brake	tbd
Order No.	6920T1MB



NEW

X-CELL 12 GW

Category	All Mountain Race
Brake width	90 mm
DIN range	4.0 - 12.0
Rec. skier's weight	<120 kg
Stand height toe/heel	15 mm / 18 mm
Toe system	Xcell
Afd Gliding Plate	Stainless steel
Heel	TCX
Color	Black
Weight w/ brake	tbd
Order No.	6820T1MB



UPDATE

12.0 TPX

Category	Piste All Mountain
Brake width	90 mm
DIN range	4.0 - 12.0
Rec. skier's weight	<120 kg
Stand height toe/heel	15 mm / 18 mm
Toe system	TPX
Afd Gliding Plate	Stainless steel
Heel	TCX light
Color	black - anthracite
Weight w/ brake	974 g
Order No.	6820T1MA



UPDATE

Category Piste / All Mountain
Brake width 90 mm, 110 mm
DIN range 3.0 - 11.0
Rec. skier's weight 30 - 110 kg
Stand height toe/heel 16,5/18 mm
Toe system Triple Pivot Compact 2
Afd Gliding Plate Stainless steel
Step-in heel TCX Light
Color Black - Anthracite (C1), White (C2)
Weight (pair) 940 g
Order No. 6720T1MA (C1), 6720S1MB (C2)
6720T1MC (C1), 6720S1MD (C2)

11.0 TP

Piste / All Mountain
90 mm, 110 mm
3.0 - 11.0
30 - 110 kg
16,5/18 mm
Triple Pivot Compact 2
Stainless steel
TCX Light

Black - Anthracite (C1), White (C2)
940 g
6720T1MA (C1), 6720S1MB (C2)
6720T1MC (C1), 6720S1MD (C2)



UPDATE

Category Piste / All Mountain
Brake width 85 mm
DIN range 3.0 - 10.0
Rec. skier's weight 30 - 105 kg
Stand height toe/heel 15/20 mm
Toe system Triple Pivot Compact 2
Afd Gliding Plate Stainless steel
Step-in heel Compact 3
Color Black - Anthracite
Weight (pair) 759 g
Order No. 6520T1MA

10.0 TP

Piste / All Mountain
85 mm
3.0 - 10.0
30 - 105 kg
15/20 mm
Triple Pivot Compact 2
Stainless steel
Compact 3
Black - Anthracite
759 g
6520T1MA



NEW

Category Junior Piste All Mountain
Brake width 70 mm
DIN range 2.0 - 7.0
Rec. skier's weight 24-75 kg
Stand height toe/heel 15/22 mm
Toe system 4-linkage jr2
Afd Gliding Plate Stainless steel
Heel Junior
Color Black - Anthracite (C1), White (C2)
Weight w/ brake 575 g
Order No. 6220T1MA (C1), 6220T1MB (C2)

7.0

Junior Piste All Mountain
70 mm
2.0 - 7.0
24-75 kg
15/22 mm
4-linkage jr2
Stainless steel
Junior
Black - Anthracite (C1), White (C2)
575 g
6220T1MA (C1), 6220T1MB (C2)



NEW

Category Junior Piste All Mountain
Brake width 70 mm, 85 mm
DIN range 0.75 - 4.5
Rec. skier's weight 12-57 kg
Stand height toe/heel 15/22 mm
Toe system 4-linkage jr2
Afd Gliding Plate Active AFD
Heel Junior
Color Black - Anthracite (C1)
White (C2)
Weight w/ brake 568 g
Order No. 6120T1MA (C1),
6120T1MB (C2)
6120T1MC (85 mm, C1)

4.5

Junior Piste All Mountain
70 mm, 85 mm
0.75 - 4.5
12-57 kg
15/22 mm
4-linkage jr2
Active AFD
Junior
Black - Anthracite (C1)
White (C2)
568 g
6120T1MA (C1),
6120T1MB (C2)
6120T1MC (85 mm, C1)



**FDT Plate System
BULK (5 PAIR)**
Order No. 2064T1MA



**FDT High Performance Plate
BULK (5 PAIR)**
Order No. 2064Q1MP



**FDT JUNIOR PLATE
BULK (5 PAIR)**
Order No. 2075S1SS, 2075S1SL

FDT - MOST INNOVATIVE & EASY RENTAL SYSTEM



- Angled scale
- Integrated barcode
- Easy DIN setting Scala
- Good visible forward pressure



- Low stand height
- Wide rail system
- GripWalk compatible



Concept of FDT system in the junior binding

- Forward pressure indicator at the side
- Safety lever, no adjustment possible when boot is in the binding
- Less mistakes and better visibility
- Colour Code fits to 4 Factor System
- Integrated Barcode





Category Piste / All Mountain
Brake width 90 mm, 90 mm (System)
DIN range 4.0 - 12.0
Rec. skier's weight < 120 kg
Stand height toe/heel 25 mm
Toe system TPX
Afd Gliding Plate Stainless steel
Step-in heel TCX light
Color Black - White
Weight w/o plate 1001 g
Order No. 6862S1MC
6862S1MCS (System)

FDT TPX 12



Category Piste / All Mountain
Brake width 80 mm, 80 mm (System)
DIN range 3.0 - 10.0
Rec. skier's weight 30 - 105 kg
Stand height toe/heel 26 mm
Toe system Triple Pivot compact 2
Afd Gliding Plate Stainless steel
Step-in heel Compact 3
Color Black - White
Weight 777 g
Order No. 6562S1MC
6562S1MCS (System)

FDT TP 10



Category Piste / All Mountain
Brake width 80 mm
DIN range 3.0 - 10.0
Rec. skier's weight 30 - 105 kg
Stand height toe/heel 26 mm
Toe system 2-linkage
Afd Gliding Plate Gliding AFD
Step-in heel Compact 3
Color Black - White
Weight 793 g
Order No. 6562R1MT

FDT TLT 10



Category	Junior	Junior
Size	L 235 - 330	S 190 - 285
Brake width	70 mm, 85 mm	70 mm, 85 mm
DIN range	2.0 - 7.0	0.75 - 4.5
Rec. skier's weight	24-75 kg	12-57 kg
Stand height toe/heel	23 mm / 24 mm	23 mm / 24 mm
Toe system	4-linkage jr2	4-linkage jr2
Afd Gliding Plate	Active AFD	Active AFD
Heel	Junior	Junior
Color	black - anthracite	black - anthracite
Weight w/ brake	550 g	546 g
Order No.	6263T1MA 6263T1MC	6163T1MA 6163T1MC


FDT 7.0

FDT 4.5



Category Freeride
Brake width 90, 110 mm
DIN range 3.0 - 11.0
Rec. skier's weight 30 - 110 kg
Stand height toe/heel 21/25 mm
Toe system Triple Pivot light
Afd Gliding Plate Stainless steel
Heel TCX light
Color Black
Weight w/ brake 956 g
Order No. 6762S1MA (90 mm)
6762S1MB (110 mm)

SQUIRE 11 TCX




Category Performance Freeride
Brake width S 265 - 325
L 305 - 365
DIN range 4.0 - 13.0
Rec. skier's weight <120 kg
Stand height toe/heel 21/25 mm
Toe system Triple Pivot elite 2
Afd Gliding Plate Stainless steel
Heel Inter Pivot 2
Color Black
Weight w/ brake 1390 g
Order No. 7520S1GA (90 mm)
7520S1GB (110 mm)

GRIFFON 13 D



Category Freeride
Brake width 90 mm, 110 mm
DIN range 4.0 - 13.0
Rec. skier's weight <120 kg
Stand height toe/heel 21/25 mm
Toe system Triple Pivot elite 2
Afd Gliding Plate Stainless steel
Heel TCX
Color Black
Weight w/ brake 1211 g
Order No. 6862S1GA (90 mm)
6862S1GB (110 mm)

GRIFFON 13 TCX



Category Junior
Brake width 70 mm
DIN range 2.0 - 7.0
Rec. skier's weight 24-75 kg
Stand height toe/heel 15 mm / 22 mm
Toe system 4-linkage jr2
Afd Gliding Plate Active AFD
Heel Junior
Color black - anthracite
Weight w/ brake 599 g
Order No. 6220T1MR

7.0 RTL

4.5 RTL

Category Junior
Brake width 70 mm
DIN range 0.75 - 4.5
Rec. skier's weight 12-57 kg
Stand height toe/heel 15 mm / 22 mm
Toe system 4-linkage jr2
Afd Gliding Plate Active AFD
Heel Junior
Color black - anthracite
Weight w/ brake 589 g
Order No. 6120T1MR





Category	Installation tool
Compatible w/	16.0 - M 9.0
Size	Jester, Griffon, Schizo
Order No.	61 - 117 mm 95 - 150 mm W001G1T (61 - 117 mm) W012J1T (95 - 150 mm)
Category	Installation tool
Compatible w/	Tour S & L
Size	61 - 117 mm 95 - 150 mm
Order No.	W010G1T (61 - 117 mm) W011J1T (95 - 150 mm)
Category	Installation tool
Compatible w/	Duke, Baron, Tour EPF
Size	S & L
Order No.	95 - 150 mm W006M1T
Category	Installation tool
Compatible w/	World Cup plate, Junior Race interface 2
Size	61 - 117 mm
Order No.	W002O1T
Category	Installation tool
Compatible w/	Fastrak, FDT Junior
Size	61 - 117 mm
Order No.	W003H1T
Category	Installation tool
Compatible w/	M 7.0, M 4.5 + Jr. RTL
Size	-
Order No.	W007H1T
Category	Installation tool
Compatible w/	Jester Demo, Xcell Demo, FDT
Size	61 - 117 mm 95 - 150 mm
Order No.	W009P1T (61 - 117 mm) W004Q1T (95 - 150 mm)
Category	Installation tool
Compatible w/	KINGPIN, KINGPIN Demo, Marker Alpinist
Size	70 - 126 mm
Order No.	W008T1T
Category	Installation tool
Compatible w/	ALU PRO plate
Size	61 - 117 mm
Order No.	W005S1T

BRAKES



Terrain	Brake Royal Freeride	Brake Universal Freeride	Race	Race	Performance	Freeride
Compatible w/	Duke, Jester, Tour	Duke, Jester brake	TCX	Race 10 & Race 8	11.0 FLAT 12.0 FLAT	Free Ten, 10.0 Free
Brake width	136mm (C1) 120mm (C1) 110mm (C1 + C2)	85 mm (C1) 90 mm (C1 + C2) 100 mm (C1)	85 mm	85 mm	90 mm 110 mm	100 mm
Color	Black (C1) White (C2)	Black (C1) White (C2)	Black	Black	Black	Black
Order No.	W015O1B (136) W026O1B (120) W016G1B (110)(C1) W012Q1B (110) (C2)	W018M1B (85) W017G1B (90) W019O1B (90) (C2) W027T1B (100)	W006O1B	W023H1B	W009F1B W005F1B	W004L1B



BRAKES



Compatible	Tour + Compact	Fastrak III, 4Motion Compact	RTL	Brake 2 - linkage, 3Motion	7.0 & 4.5 & FDT	KINGPIN	MARKER ALPINIST
Brake width	80 mm, 85 mm	80 mm, 85 mm	70 mm	80 mm, 85 mm	70 mm (C1 + C2) 85 mm (C1)	75 - 100 mm (1) 100 - 125 mm (2)	90 mm (1) 105 mm (2) 115 mm (3) Black
Color	Black (C1) White (C2)	Black	Black	Black	Black (C1) White (C2)	Black	
Order No.	W024K1B (85, C1) W022N1B (80, C1) W025O1B (80, C2)	W002L1B (80) W003M1B (85)	W014S1B	W020G1B (80) W021K1B (85)	W007R1B (70, C1) W008R1B (70, C2) W009R1B (85, C1)	W010S1B (1) W011S1B (2)	W001S1B (1) W002S1B (2) W003S1B (3)

CRAMPONS



Product	Crampon Pintech	Crampon Pintech	Crampon Pintech	Crampon Pintech	Crampon	Crampon	Crampon	Crampon
Brake width	80 mm	90 mm	105 mm	120 mm	82 mm	92 mm	105 mm	120 mm
Ski width	66 - 80 mm	75 - 90 mm	90 - 105 mm	105 - 120 mm	< 74 mm	74 - 84 mm	90 - 105 mm	106 - 120 mm
Order No.	H005S1A	H001P1P	H002P1P	H003P1P	H003K1A	H001M1A	H002N1A	H004M1A

KINGPIN / TOURING ACCESSORIES



Product	KINGPIN AFD Platform	DIN adapter	Touring leash MARKER ALPINIST
Compatible		Dynafit TLT 5/6	
Color	Black	Silver	Black
Order No.	W012P1B	A001Q1D	L002S1A

MARKER ALPINIST ACCESSORIES



MARKER ALPINIST Heel platform	MARKER ALPINIST U - bow
Black - White A001S1W	A001S1US (Soft) A001S1UM (Medium) A001S1UH (Hard)

MARKER ACCESSORIES



Product	Marker gauge drill Ø 8 mm (45 mm)	Marker screw driver Pozidrive #3	Marker power bit 150 mm FEIN (Pozidrive)	Marker power bit 150 mm SBD (Pozidrive)	Marker binding drill bit 4.1 x 9.5	Marker allen key Ball end #5
Order No.	2541	2544	2547	2548	2552	2565



Product	Marker binding drill bit 3.6 x 7.5	Marker binding drill bit 3.6 x 9.5	Marker trap-In insert PA 6 (100 pcs)	Marker binding glue 100 ml	Marker screw driver Slotted #5.5	Marker silicone spray 300 ml
Order No.	2637	2639	2653	2660	2661	2662



Product	Mounting Tool Adapter Wide Skis 148 mm
Order No.	W001J1A



ROYAL FAMILY RIDE & HIKE

	Duke Pro EPF 18	Baron EPF 13	Jester 18 Pro ID	Jester 16 ID	Griffon 13 ID	Griffon 13 ID	Squire 11 ID
Size	S 265 - 325; 110 mm L 305 - 365; 110 mm	S 265 - 325; 110 mm L 305 - 365; 110 mm	90 mm, 120 mm	90 mm, 100 mm, 110 mm	90 mm, 100 mm, 110 mm, 120 mm	90 mm, 100 mm, 110 mm, 120 mm	90 mm, 100 mm, 110 mm
DIN range	8.0 - 18.0	4.0 - 13.0	8.0 - 18.0	6.0 - 16.0	4.0 - 13.0	4.0 - 13.0	3.0 - 11.0
Color	Black	Black	Black - Flo-red	Black	Black	White	White
Order No.	7916S1SA (S) 7916S1LA (L)	7516S1SA (S) 7516S1LA (L)	7924S1JS (90) 7924S1JB (120)	7624S1JA (90) 7624T1JD (100) 7624S1JB (110)	7524S1GA (90), 7524T1GG (100) 7524S1GB (110) 7524S1GC (120)	7524S1GD (90) 7524T1GH (100) 7524S1GE (110) 7524S1GF (120)	7424S1MA (90) 7424T1MG (100) 7424S1MB (110)

FREE

	Squire 11 ID	Squire 11 ID	Free Ten	Free 7	Free 7
Size	90 mm, 100mm , 110 mm	90 mm, 110 mm	85 mm (+ screw kit) 100 mm (+ screw kit)	85 mm	85 mm
DIN range	3.0 - 11.0	3.0 - 11.0	3.0 - 10.0	2.0 - 7.0	2.0 - 7.0
Color	Black	Teal - Black	Black - White	White - Silver	Black
Order No.	7424S1ME (90), 7424T1MH (100) 7424S1MF (110)	7424T1MC (90) 7424T1MD (110)	7224T1MA (85) 7224T1MB (100)	6224T1MW	6224T1MS

TOUR

	F12 TOUR EPF	F10 TOUR
Size	S 265 - 325; 110 mm L 305 - 365; 110 mm	S 265 - 325; 90 mm L 305 - 365; 90 mm
DIN range	4.0 - 12.0	3.0 - 10.0
Color	Black - Anthracite	Black - White
Order No.	7816R1SE (S) 7816R1LE (L)	7716S1TC (S) 7716S1TD (L)

PIN TOUR

	KINGPIN M-Werks 12	KINGPIN 10	KINGPIN 13	KINGPIN 10 Demo	KINGPIN 13 Demo	MARKER ALPINIST 12	MARKER ALPINIST 9
Size	75 - 100 mm (1) 100 - 125 mm (2)	75 - 100 mm (1) 100 - 125 mm (2)	75 - 100 mm (1) 100 - 125 mm (2)	75 - 100 mm	100 - 125 mm	6.0 - 12.0	4.0 - 9.0
DIN range	5.0 - 12.0	5.0 - 10.0	6.0 - 13.0	5.0 - 10.0	6.0 - 13.0	Black - Red (C1) Black - Titanium (C2)	Black - Turquoise (C1) Black - Titanium (C2)
Color	Black - Red	Black - Copper	Black - Copper	Black - Copper	Black - Copper	7833S1MA (C1) 7833S1MB (C2)	7633S1MC (C1) 7633S1MB (C2)
Order No.	7831T1CS 7831T1CW	7733S1MA (1) 7733S1MB (2)	7933S1MA (1) 7933S1MB (2)	7734S1MA	7934S1MB		

XCELL FLAT (GRIPWALK)

	MARKER ALPINIST 12 long travel	MARKER ALPINIST 9 long travel	Xcell 16 GW	Xcell 12 GW
Size	90 mm 105 mm	90 mm 105 mm	90 mm	90 mm
DIN range	6.0 - 12.0	4.0 - 9.0	6.0 - 16.0	4.0 - 12.0
Color	Black - Titanium	Black - Titanium	Black	Black - Anthracite
Order No.	7834S1MS (90) 7834S1MW (105)	7634S1MS (90) 7634S1MW (105)	6920T1MB	6820T1MB

PISTE / ALL MOUNTAIN

	12.0 TPX	11.0 TP	11.0 TP
Size	90 mm	90 mm, 110 mm	90 mm, 110 mm
DIN range	4.0 - 12.0	3.0 - 11.0	3.0 - 11.0
Color	Black - Anthracite	Black - Anthracite	White
Order No.	6820T1MA	6720T1MA (90mm) 6720T1MC (110mm)	6720S1MB (90mm) 6720S1MD (110mm)

	10.0 TP	7.0	4.5
Size	85 mm	70 mm	70 mm, 85 mm
DIN range	3.0 - 10.0	2.0 - 7.0	0.75 - 4.5
Color	Black	Black - Anthracite (C1) White (C2)	Black - Anthracite (C1) White (C2)
Order No.	6520S1MA	6220T1MA (C1) 6220T1MB (C2)	6120T1MA (C1) 6120T1MB (C2) 6120T1MC (85 mm)(C1)



RACE

	Race X-cell 24	Race X-cell 18	Race X-cell 16	Race X-cell 12	Race 10 TCX	Race 10	Race Junior 8
DIN range	12.0 - 24.0	8.0 - 18.0	6.0 - 16.0	4.0 - 12.0	3.0 - 10.0	3.0 - 10.0	2.0 - 8.0
Color	Black - Flo-red (C1) White - Black - Red (C2)	Black - Flo-red (C1) White - Black - Red (C2)	Black - Flo-red (C1) White - Black - Red (C2)	Black - Flo-red (C1) White - Black - Red (C2)	Black - Flo-red (C1) White - Black - Red (C2)	Black - Flo-red (C1) White - Black - Red (C2)	Black - Flo-red (C1) White - Black - Red (C2)
Order No.	7130R1MS (C1) 7130S1TC (C2)	7120R1MS (C1) 7120S1TC (C2)	6920R1MS (C1) 6920S1TC (C2)	6820R1MS (C1) 6820S1TC (C2)	6520R1MT (C1) 6521S1TC (C2)	6520R1MS (C1) 6520S1TC (C2)	6320R1MS (C1) 6320S1TC (C2)

RENTAL / DEMO

	FDT TPX 12	FDT TP 10	FDT TLT 10	FDT 7.0 System	FDT 4.5 System	7.0 RTL	4.5 RTL
Size	90 mm	80 mm	80 mm	L 235 - 330	S 190 - 285	70 mm	70 mm
Brake width	90 mm (SYSTEM) 4.0 - 12.0	80 mm (SYSTEM) 3.0 - 10.0		70 mm 85 mm 2.0 - 7.0	70 mm 85 mm 0.75 - 4.5	70 mm	70 mm
DIN range	4.0 - 12.0	3.0 - 10.0	3.0 - 10.0	2.0 - 7.0	0.75 - 4.5	2.0 - 7.0	0.75 - 4.5
Color	Black - White	Black - White	Black - White	Black - Anthracite	Black - Anthracite	Black - Anthracite	Black - Anthracite
Order No.	6862S1MC 6862S1MCS (Sys)	6562S1MC 6562T1MCS (Sys)	6562R1MT	6263T1MA (70 mm) 6263T1MC (85 mm)	6163T1MA (70 mm) 6163T1MC (80 mm)	6220T1MR	6120T1MR

	Griffon 13 D	Griffon 13 TCX D	Squire 11 TCX D	10.0 Fastrak III TP System	FDT plate; bulk	FDT High Performance plate; bulk
Brake width	90 mm 110 mm	90 mm 110 mm	90 mm 110 mm	80 mm		
DIN range	4.0 - 13.0	4.0 - 13.0	3.0 - 11.0	3.0 - 10.0		
Color	Black	Black	Black	Black - White	Black	Black
Order No.	7520S1GA 7520S1GB	6862S1GA (90) 6862S1GB (110)	6762S1MA (90) 6762S1MB (110)	6523P1SS	2064T1MA (5 pair)	2064Q1MP (5 pair)

INTERFACE

	World Cup PC Interface	Junior Race Interface	3D U.V.O. vibration absorber	ALU PRO plate
Stand height	10 mm, 14 mm			10 mm
Color	Black	Black		Silver
Order No.	2020R1SS (10 mm) 2022R1SS (14 mm)	2027O1MB	V001S1SS	2030S1MP



BRAKES

						
Size	120 mm 136 mm	100 mm 110 mm	85 mm (C1) 90 mm (C1 + C2)	85 mm	85 mm	90 mm 110 mm
Color	Black	Black (C1) White (C2)	Black (C1) White (C2)	Black	Black	Black
Order No.	W026O1B (120) W015O1B (136)	W027T1B (100) W016G1B (C1) W012Q1B (C2)	W018M1B (85 mm) W017G1B (C1)(90mm) W019O1B (C2)(90mm)	W006O1B	W023H1B	W009F1B (90) W005F1B (110)

						
Brake width	80 mm, 85 mm	100 mm	80 mm 85 mm	80 mm 85 mm	70 mm	70 mm (C1 + C2) 85 mm (C1)
Color	Black	Black	Black (C1) White (C2)	Black	Black	Black (C1) White (C2)
Order No.	W020G1B (80) W021K1B (85)	W004L1B	W022N1B (C1) (80) W025O1B (C2) (80) W024K1B (C1) (85)	W002L1B (80) W003M1B (85)	W014S1B	W007R1B (70 mm, C1) W008R1B (70 mm, C2) W009R1B (85 mm, C1)

						
Size	75 - 100 mm (1) 100 - 125 mm (2)	90 mm 105 mm 115 mm	74 mm, 84 mm 106 mm, 120 mm	80 mm, 90 mm 105 mm, 120 mm		
Color	Black	Black			Black	Black - White
Order No.	W010S1B (1) W011S1B (2)	W001S1B (90) W002S1B (105) W003S1B (115)	H003K1A (74) H001M1A (84) H002N1A (106) H004M1A (120)	H005S1A (80) H001P1P (90) H002P1P (105) H003P1P (120)	W012P1B	A001S1W

			
Order No.	A001Q1D	A001S1US (Soft) A001S1UM (Medium) A001S1UH (Hard)	L002S1A

2019/20

HELMETS



THE NEW CONVOY+

OUTSTANDING PROTECTION OUTSIDE.
SUPERIOR FITTING INSIDE.
INNOVATIVE TECHNOLOGY ALL AROUND.



Construction	Hybrid Shell + MAP
Ventilation	MarkAIR Channel System 2 Position Climate Control
Protection	360° Edge Protection 360° MAP Protection Pads
Features	Carbon Top shell RTS Fit System Xdry Performance Lining Fidlock OG Snap Removable Earpads - Audio Ready Helmet Bag
Sizing	S 51-55 cm / M 55-59 cm / L 59-63 cm
Weight (+/-5%)	S 470 g / M 510 g / L 540 g
Certification	CE EN 1077:2007 CLASS B
Order No.	169400.16



Construction	Hybrid Shell + MAP
Ventilation	MarkAIR Channel System 2 Position Climate Control
Protection	360° Edge Protection 270° MAP Protection Pads
Features	RTS Fit System Xdry Performance Lining (W: Volume Fleece) Fidlock OG Snap Removable Earpads - Audio Ready Helmet Bag
Sizing	S 51-55 cm / M 55-59 cm / L 59-63 cm
Weight (+/-5%)	S 445 g / M 485 g / L 510 g
Certification	CE EN 1077:2007 CLASS B



Black
169402.15



Off white
169403.02



UPDATE	
Construction	Hybrid Shell + MAP
Ventilation	MarkAIR Channel System 2 Position Climate Control
Protection	360° Edge Protection 270° MAP Protection Pads
Features	RTS Fit System Xdry Performance Lining (W: Volume Fleece) Fidlock OG Snap Removable Earpads - Audio Ready Helmet Bag
Sizing	S 51-55 cm / M 55-59 cm / L 59-63 cm
Weight (+/-5%)	S 470 g / M 510 g / L 540 g
Certification	CE EN 1077:2007 CLASS B



Black
169400.15



White/grey
169400.01



Aqua Blue
169400.83



green
169400.90



Grey/Purple
169901.12



UPDATE	
Construction	Hybrid Shell
Ventilation	MarkAIR Channel System 2 Position Climate Control
Protection	360° Edge Protection
Features	RTS Fit System Xdry Performance Lining (W: Volume Fleece) Fidlock OG Snap Removable Earpads - Audio Ready Helmet Bag
Sizing	S 51-55 cm / M 55-59 cm / L 59-63 cm
Weight (+/-5%)	S 445 g / M 485 g / L 510 g
Certification	CE EN 1077:2007 CLASS B



Black
169604.15



Blue
169904.80



Grey/infrared
169904.13



Grey
169905.10



Purple
169905.70





NEW



Construction	Double In-Mould
Ventilation	MarkAIR Channel System 2 Position Climate Control
Protection	270° Edge Protection
Features	RTS Fit System Xdry Performance Lining (F=Volume Fleece) Fidlock OG Snap Removable Earpads - Audio Ready Helmet Bag
Sizing	S 51-55 cm / M 55-59 cm / L 59-63 cm
Weight (+/-5%)	M: 444 g
Certification	CE EN 1077:2007 CLASS B



White
169912.00



Black
169912.15



Blue/blue
169906.80



Grey / infrared
169906.13



Orange / light grey
169906.33



Purple / fuchsia
169907.70

NEW



Construction	Double In-Mould
Ventilation	MarkAIR Channel System
Protection	270° Edge Protection
Features	RTS Fit System Xdry Performance Lining (W: Volume Fleece) Removable Earpads - Audio Ready Helmet Bag
Sizing	S 51-55 cm / M 55-59 cm / L 59-63 cm
Weight (+/-5%)	M 427 g
Certification	CE EN 1077:2007 CLASS B



Black
169924.15



Anthrazite
169911.18



Blue
169911.80



White
169913.00



Fuchsia
169913.72



Construction	Double In-Mould
Ventilation	MarkAIR Channel System 2 Position Climate Control
Protection	270° Edge Protection
Features	RTS Fit System Xdry Performance Lining (W: Volume Fleece) Removable Earpads - Audio Ready Helmet Bag
Sizing	S 51-55 cm / M 55-59 cm / L 59-63 cm
Weight (+/-5%)	S 420 g / M 440 g / L 470 g
Certification	CE EN 1077:2007 CLASS B



Black
168408.15



Grey
168408.10



White
168409.00



Black
168409.15

UPDATE



Construction	Triple In-Mould
Ventilation	MarkAIR Channel System AIR JAM CLIMATE CONTROL
Protection	360° Edge Protection
Features	RTS Fit System Xdry Performance Lining Fidlock OG Snap Removable Earpads - Audio Ready Beanie Ready PSE Goggle Clip Helmet Bag
Sizing	S 51-55 cm / M 55-59 cm / L 59-63 cm
Weight (+/-5%)	S 365 g / Beanie ready: 299 g M 395 g / Beanie ready: 327 g L 425 g / Beanie ready: 351 g
Certification	CE EN 1077:2007 CLASS B



Black black
168410.17



Blue
168410.51



NEW



Construction
Ventilation
Features
FE Edition
Sizing
Weight (+/-5%)
Certification

ABS Hardshell
MarkAIR Channel System
AIR JAM CLIMATE CONTROL
RTS Fit System
Xdry Performance Lining
Fidlock OG Snap
Removable Earpads - Audio Ready (excl. FE)
Beanie Ready
PSE Goggle Clip
FIXED EARPADS for more side protection and higher durability
S 51-55 cm / M 55-59 cm / L 59-63 cm
M: 500 g M (FE): 508 g
CE EN 1077:2007 CLASS B



Black
169914.15



White
169915.00



Black
169915.15



Blue
169915.80



Infrared
169915.51



Purple
169923.61

SQUAD / SQUAD FE

Junior



NEW

Construction
Ventilation
Features
Sizing
Weight (+/-5%)
Certification

ABS Hardshell
MarkAIR Channel System
AIR JAM CLIMATE CONTROL
RTS Fit System
Xdry Performance Lining
FIXED EARPADS for more side protection and higher durability
Beanie Ready
PSE Goggle Clip
OO 47-51 cm / O 51-56 cm
508 g
CE EN 1077:2007 CLASS B



Black
169920.15



Infrared
169920.51



Fuchsia
169920.70

SQUAD JR

Junior



NEW

Construction
Ventilation
Protection
Features
Sizing
Weight (+/-5%)
Certification

In-Mould
MarkAIR Channel System
AIR JAM CLIMATE CONTROL
180° Edge Protection
RTS Fit System
Xdry Performance Lining
Removable Earpads - Audio Ready
Beanie Ready
PSE Goggle Clip
OO 47-51 cm / O 51-56 cm
430 g
CE EN 1077:2007 CLASS B



Black
169919.15



Blue
169919.80



Pink
169919.72

CONVOY JR

Junior



UPDATE

Construction
Ventilation
Features
Sizing
Weight (+/-5%)
Certification

ABS Hardshell
MarkAIR Channel System
AIR JAM CLIMATE CONTROL
RTS Fit System
Xdry Performance Lining
Removable Earpads - Audio Ready
Beanie Ready
PSE Goggle Clip
Integrated lens system
OO 47-51 cm / O 51-56 cm
545 g
CE EN 1077:2007 CLASS B



Blue
169922.80



Infrared
169922.51



Pink
169922.72

VIJO



RENTAL FE / RENTAL

Construction
Ventilation
Features
Sizing
Weight (+/-5%)
Certification

ABS Hardshell
MarkAIR Channel System
AIR JAM CLIMATE CONTROL
Integrated Rental Surface
Barcode Area
RTS Fit System
Xdry Performance Lining
PSE Goggle Clip
FE = Fixed Earpads
S 51-55 cm / M 55-59 mm / L 59-63 cm / XL 62-65
TBA
CE EN 1077:2007 CLASS B



Rental FE
White
169416.00.

Rental FE
Black
169416.15.

Rental
White
169417.00.

Rental
Black
169417.15.

RENTAL JR.

Construction
Ventilation
Features
Sizing
Weight (+/-5%)
Certification

ABS Hardshell
MarkAIR Channel System
AIR JAM CLIMATE CONTROL
Integrated Rental Surface
Barcode Area
RTS Fit System
Xdry Performance Lining
PSE Goggle Clip
OO 47-51 cm / O 51-56 cm
TBA
CE EN 1077:2007 CLASS B



Black
169418.15.

Neon yellow
169418.26.

HELMET FEATURES OVERVIEW

Sizing	S / M / L	S / M / L	S / M / L	S / M / L	S / M / L	S / M / L	S / M / L	51-56 cm	OO / O	OO / O	S / M / L / XL	S / M / L / XL	OO / O
Construction	Hybrid Shell	Hybrid Shell	In-Mould	In-Mould	In-Mould	In-Mould	Hardshell	In-Mould	Hardshell	Hardshell	Hardshell	Hardshell	Hardshell
With													
Ventilation													
MarkAIR Channel System	•	•	•	•	•	•	•	•	•	•	•	•	•
2 Position Climate Control	•	•	•	•	•	•	•	•	•	•	•	•	•
AIR JAM CLIMATE CONTROL							•	•	•	•	•	•	•
Goggle Integration System	•	•	•	•	•	•	•	•	•	•	•	•	•
Protection													
360° MAP Protection Pads	•												
270° MAP Protection Pads	•	•											
360° Edge Protection	•	•				•							
270° Edge Protection			•										
180° Edge Protection	•							•					
Features													
RTS Fit System	•	•	•	•	•	•	•		•	•	•	•	•
RTS Youth Fit System						•			•				
Fidlock OG Snap	•	•	•	•	•	•	•		•	•	•	•	•
PSE Goggle Clip	•	•	•	•	•	•	•	•	•	•	•	•	•
Edge Protection	•	•	•	•	•	•	•	•	•	•	•	•	•
Beanie Ready						•		•	•	•			
Removable Earpads - Audio Ready	•	•	•/-	•	•	•	•	•	•	•			•
Integrated Rental Surface													•
Barcode Area													•
FE = Fixed Earpads									•				•

Junior




2019/20

G O G G L E S



Black matt
Blue HD mirror
169350.15.12.3



Black matt
Green plasma mirror
169350.15.04.3

+PLUS SERIES

NEW

Fit
Ventilation
Lens

Features

Certification

SQUADRON +

Large Fit
MarkAIR Vent System
NMT OPTICS (3rd Eyelid)
Cylindrical lens
Magnetic lens incl. magnetic spare part lens
100% UV A/B/C Technology
Also available with polarized lenses

Xdry TRIPLE LAYER FACE FOAM
Superfit frame design
45mm goggle strap with silicon anti-slip coating
100% compatibility with helmet
Neoprene box plus microfiber bag
Additional lens

CE EN 174:2001, optical Class 1



Black matt
Blue HD mirror
169351.15.12.3



Black matt
Red plasma mirror
169351.15.02.3



Black / Infrared
Black light HD
169352.17.11.3



Black matt
Pink plasma mirror
169352.15.05.3

READY TO GO
FOR EVERY LIGHT
CONDITIONS

+PLUS
SERIES



SECOND LENS

Including one Clarity mirror lens
for low-light conditions.



NEOPRENE BOX

All PLUS goggles come in a lightweight neoprene box with a zipper to make transport and storage easier. The soft lining protects the goggles, while the vent holes allow for quick moisture evaporation.



**+PLUS
SERIES**

UPDATE

16:10+

Fit	Large Fit
Ventilation	MarkAIR Vent System
Lens	NMT OPTICS (3rd Eyelid) DUAL BIONOMIC spherical lens 100% UV A/B/C Technology Also available with polarized lenses
Features	Xdry TRIPLE LAYER FACE FOAM Superfit frame design 45mm goggle strap with silicon anti-slip coating 100% compatibility with helmet Neoprene box plus microfiber bag Additional lens
Certification	CE EN 174:2001, optical Class 1



White
Blue HD mirror
169353.00.12.3



Black
Black light HD
169353.15.11.3



White
Pink plasma mirror
169353.00.05.3



Black
Green plasma mirror
169353.15.04.3



Blue
Green plasma mirror
169353.80.04.3



Fuchsia
Pink plasma mirror
169353.72.05.3



**+PLUS
SERIES**

UPDATE

PERSPECTIVE+

Fit	Large Fit
Ventilation	MarkAIR Vent System
Lens	NMT OPTICS (3rd Eyelid) DUAL BIONOMIC spherical lens 100% UV A/B/C Technology Also available with polarized lenses
Features	Xdry TRIPLE LAYER FACE FOAM Superfit frame design 45mm goggle strap with silicon anti-slip coating 100% compatibility with helmet Neoprene box plus microfiber bag Additional lens
Certification	CE EN 174:2001, optical Class 1



White
Blue HD mirror
169355.00.12.3



Black
Green plasma mirror
169355.15.11.3



White
Pink plasma mirror
169355.00.04.3



Black
Green plasma mirror
169355.15.05.3



Infrared
Red plasma mirror
169355.50.02.3



**+PLUS
SERIES**

UPDATE

16:10+ OTG

Fit	Large Fit
Ventilation	MarkAIR Vent System
Lens	NMT OPTICS (3rd Eyelid) DUAL BIONOMIC spherical lens 100% UV A/B/C Technology
Features	Xdry TRIPLE LAYER FACE FOAM Superfit frame design 45mm goggle strap with silicon anti-slip coating 100% compatibility with helmet Neoprene box plus microfiber bag Additional lens
Certification	CE EN 174:2001, optical Class 1



White
Pink plasma mirror
169354.00.05.3



Black
Green plasma mirror
169354.15.04.3



UPDATE

PERSPECTIVE

Fit	Large Fit
Ventilation	MarkAIR Vent System
Lens	NMT OPTICS (3rd Eyelid) DUAL BIONOMIC spherical lens 100% UV A/B/C Technology Also available with polarized lenses
Features	Xdry TRIPLE LAYER FACE FOAM Superfit frame design 45mm goggle strap with silicon anti-slip coating 100% compatibility with helmet Microfiber goggle bag
Certification	CE EN 174:2001, optical Class 1



White
Clarity mirror
169357.00.03.3



White
Surround mirror
169357.00.01.3



Black
Clarity mirror
169357.15.03.3



Black
Surround mirror
169357.15.01.3



**+PLUS
SERIES**

UPDATE

PROJECTOR+

Fit	Medium Fit
Ventilation	MarkAIR Vent System
Lens	NMT OPTICS (3rd Eyelid) DUAL BIONOMIC spherical lens 100% UV A/B/C Technology Also available with polarized lenses
Features	Xdry TRIPLE LAYER FACE FOAM Superfit frame design 45mm goggle strap with silicon anti-slip coating 100% compatibility with helmet Neoprene box plus microfiber bag Additional lens
Certification	CE EN 174:2001, optical Class 1



White
Blue HD mirror
169356.00.12.2



Black
Black tight HD
169356.15.11.2



White
Pink plasma mirror
169356.00.05.2



Black
Green plasma mirror
169356.15.04.2



Infrared
Red plasma mirror
169356.50.02.2



Fuchsia
Pink plasma mirror
169356.72.05.2



UPDATE

PROJECTOR

Fit	Medium Fit
Ventilation	MarkAIR Vent System
Lens	NMT OPTICS (3rd Eyelid) DUAL BIONOMIC spherical lens 100% UV A/B/C Technology
Features	Xdry TRIPLE LAYER FACE FOAM Superfit frame design 45mm goggle strap with silicon anti-slip coating 100% compatibility with helmet Microfiber goggle bag
Certification	CE EN 174:2001, optical Class 1



White
Clarity mirror
169358.00.03.2



White
Surround mirror
169358.00.01.2



Black
Clarity mirror
169358.15.03.2



Black
Surround mirror
169358.15.01.2



UPDATE

16:9

Fit	Medium Fit
Ventilation	MarkAIR Vent System
Lens	NMT OPTICS (3rd Eyelid) DUAL BIONOMIC spherical lens 100% UV A/B/C Technology Also available with polarized lenses
Features	Xdry TRIPLE LAYER FACE FOAM Superfit frame design 45mm goggle strap with silicon anti-slip coating 100% compatibility with helmet Microfiber goggle bag
Certification	CE EN 174:2001, optical Class 1



White
Pink plasma mirror
169359.00.05.2



Black
Clarity mirror
169359.15.03.2



Infrared
Surround mirror
169359.50.01.2



Fuchsia
Red plasma mirror
169359.72.02.2

Junior



Fit	Small Fit
Ventilation	MarkAIR Vent System
Lens	HYDROPHOBIC COATING DUAL BIONOMIC spherical lens 100% UV A/B/C Technology
Features	Xdry TRIPLE LAYER FACE FOAM Superfit frame design 45mm goggle strap with silicon anti-slip coating 100% compatibility with helmet Microfiber goggle bag
Certification	CE EN 174:2001, optical Class 1



White
Green screen mirror
169360.00.24.1



Black
Clarity Mirror
169360.15.03.1



Black
Surround Mirror
169360.15.01.1



Infrared
Red screen mirror
169360.50.22.1



Blue
Surround Mirror
169360.80.01.1

GOGGLE LENS



Black Light HD
VLT*: 20%
Cat.: S2
Polarized



Blue HD Mirror
VLT*: 11%
Cat.: S3
Polarized



Surround Mirror
VLT*: 11%
Cat.: S3
Polarized



Pink Plasma Mirror
VLT*: 11%
Cat.: S3



Red Plasma Mirror
VLT*: 25%
Cat.: S2



Green Plasma Mirror
VLT*: 25%
Cat.: S2



Clarity Mirror
VLT*: 68%
Cat.: S1



Junior



Green Screen Mirror
VLT*: 15%
Cat.: S3



Junior



Red Screen Mirror
VLT*: 25%
Cat.: S2



Polarized
Lens

*VLT specifies the translucency of a lens,
defining how much light will hit the eye.



2019/20

PROTECTIVE WEAR



REVOLUTIONARY
PROTECTION
MATERIAL



MAP
CREATED TO PROTECT



INCREASED
PROTECTION
INSIDE



TEMPERATURE
STABLE



MULTI-IMPACT
ABSORPTION



SUPER LIGHT
WEIGHT



NEW

Protection

Features

Material

Sizing

Weight (+/-5%)

Certification

Color

Order No.

BODY VEST MAP 2.0

MAP 2.0 Protection Material powered by A-XOC Shock Absorber along the rib cage

MarkAIR Channel Design
Central Spine Protection

High-quality functional material
4D Stretch/Compression Material
Extremely breathable

S, M, L

TBA

EN 1621-2:2014 Level 2

Black

Men

S: 169200.15.S

M: 169200.15.M

L: 169200.15.L

XL: 169200.15.XL

Women

S: 169210.49.S

M: 169210.49.M

L: 169210.49.L

XL: 169210.49.XL

Youth

S: 169220.49.S

L: 169220.49.L



W



NEW

Protection

Features

Material

Sizing

Weight (+/-5%)

Certification

Color

Order No.

BP LIGHT MAP 2.0

MAP 2.0 Protection Material powered by A-XOC Shock Absorber along the rib cage

MarkAIR Channel Design
Central Spin Protection
Quick-configure Belt on outside of garment
FIS-ready: Thanks to the removable protector with kidney belt, can also be worn without

High-quality functional material
4D Stretch/Compression Material
Extremely breathable

S, M, L, XL

TBA

EN 1621-2:2014 Level 2

Black/Red

Men (Black)

S: 169201.15.S

M: 169201.15.M

L: 169201.15.L

XL: 169201.15.XL

Women (Red)

S: 169211.49.S

M: 169211.49.M

L: 169211.49.L

XL: 169211.49.XL



W



Protection

Features

Material

Sizing

Weight (+/-5%)

Certification

Color

Order No.

BODY SHORT MAP

MAP Protection materials

Unisex cut
Ultra-thin and flexible 11 mm MAP material on the hips and tailbone

High-quality functional material
4D Stretch/Compression Material
Extremely breathable

S, M, L, XL

TBA

EN 1621-2:2004 Level 1

Black

S: 168230.15.S

M: 168230.15.M

L: 168230.15.L

XL: 168230.15.XL



powered by A-XOC



PHOENIX MAP
Hybrid Shell



Carbon black
169400.16



Black
169400.15



White/grey
169400.01



Aqua Blue
169400.83



Green
169400.90



Gey/Purple
169901.12

W

AMPIRE
Hybrid Shell



Black
169402.15



White
169403.02



Black
169604.15



Blue
169904.80



Grey/Infrared
169904.13



Grey
169905.10



Purple
169905.70

W

W

CONVOY +
Double In-Mould



White
169912.00



Black
169912.15



Blue/Blue
169906.80



Light red
169906.13



Orange/light grey
169906.33



Purple/Fuchsia
169907.70

W

CONVOY
Double In-Mould



Black
169924.15



Anthrazite
169911.18



Blue
169911.80



White
169913.00



Fuchsia
169913.72

W

W

COMPANION
Double In-Mould



Black
168408.15



Grey
168408.10



White
168409.00



Black
168409.15

W

W

CLARK
Triple In-Mould



Black black
168410.17



Infrared
168410.51

SQUAD

ABS Hardshell



Black
169914.15



White
169915.00



Black
169915.15



Blue
169915.80



Infrared
169915.51



Fuchsia
169923.61

W

CONVOY JR.
In-Mould



Black
169919.15



Blue
169919.80



Pink
169919.72

W

SQUAD JR.
ABS Hardshell



Black
169920.15



Infrared
169920.51



Fuchsia
169920.70

FE

FE

W

FE

VIJO
ABS Hardshell



Blue
169922.80



Infrared
169922.51



Pink
169922.72

W

RENTAL
ABS Hardshell



White
169416.00



Black
169416.15



White
169417.00



Black
169417.15

FE

FE

RENTAL JR.
ABS Hardshell



Black
169418.15



Neon yellow
169418.26

FE

FE



SQUADRON+
SQUADRON
Large Fit



Black matt
Blue HD mirror
169350.15.12.3



Black matt
Green plasma mr.
169350.15.04.3



Black matt
Blue HD mirror
169351.15.12.3



Black matt
Red plasma mir.
169351.15.02.3

SPECTATOR
Large Fit



Black /Infrared
Black light HD
169352.17.11.3



Black matt
Pink plasma mir.
169352.15.05.3

16:10+
Large Fit



White
Blue HD mirror
169353.00.12.3



Black
Black light HD
169353.15.11.3



White
Pink plasma mr.
169353.00.05.3



Black
Green plasma mr.
169353.15.04.3



Blue
Green plasma mr.
169353.80.04.3



Fuchsia
Pink plasma mr.
169353.72.05.3

16:10+ OTG
Large Fit



White
Pink plasma mr.
169354.00.05.3



Black
Green plasma mr.
169354.15.04.3

PERSPECTIVE+
Large Fit



White
Blue HD mirror
169355.00.12.3



Black
Black light HD
169355.15.11.3



White
Pink plasma mr.
169355.00.04.3



Black
Yellow plasma mr.
169355.15.05.3



Infrared
Red plasma mr.
169355.50.02.3

PERSPECTIVE
Large Fit



White
Clarity mirror
169357.00.03.3



White
Surround mirror
169357.00.01.3



Black
Clarity mirror
169357.15.03.3



Black
Surround mirror
169357.15.03.3

PROJECTOR+
Medium Fit



White
Blue HD mirror
169356.00.12.2




Black
Black light HD
169356.15.11.2



White
Pink plasma mr.
169356.00.05.2



Black
Green plasma mr.
169356.15.04.2



Infrared
Red plasma mr.
169356.50.02.2



Fuchsia
Pink plasma mr.
169356.72.05.2

PROJECTOR
Medium Fit



White
Clarity mirror
169358.00.03.2



White
Surround mirror
169358.00.01.2



Black
Clarity mirror
169358.15.03.2



Black
Surround mirror
169358.15.01.2

16:9
Medium Fit



White
Pink plasma mr.
169359.00.05.2



Black
Clarity mirror
169359.15.03.2



Infrared
Surround mirror
169359.50.01.2



Fuchsia
Red plasma mr.
169359.72.02.2

4:3
Small Fit



White
Green plasma mr.
169360.00.24.1



Black
Clarity mirror
169360.15.03.1



Black
Surround mirror
169360.15.01.1



Infrared
Red plasma mr.
169360.50.22.1



Blue
Surround mirror
169360.80.01.1

PROTECTIVE
WEAR



BODY VEST
MAP 2.0
169200.15.S
169200.15.M
169200.15.L
169200.15.XL



BODY VEST
MAP 2.0 FEMALE
169210.49.S
169210.49.M
169210.49.L
169210.49.XL



BODY VEST
MAP 2.0 YOUTH
169220.49.S
169220.49.L



BP LIGHT
MAP 2.0
169201.15.S
169201.15.M
169201.15.L
169201.15.XL



BP LIGHT
MAP 2.0 (Women)
169211.49.S
169211.49.M
169211.49.L
169211.49.XL



BODY SHORT
MAP
168230.15.S
168230.15.M
168230.15.L
168230.15.XL

Marker Basic POS



1

**INDOOR
BEACH FLAG**

Art. No. 197700.0
Material Aluminium, Glasfaser, Polyester
Size 50 x 220cm



2

BANNER

Art. No. 197692.0
Material Polyester
Size 3 x 1m



3

**OUTDOOR
BEACH FLAG**

Art. No. 197696.0
Material Aluminium, Glasfaser, Polyester
Size 80 x 450cm



4

DOOR MAT

Art. No. 197587.1
Material Nylon
Size 90 x 60cm



TABLE FLAG

Art. No. 197829.0
Material Eisen, Polyester
Size 10 x 34cm



Marker Helmet & Goggle POS Size



5

**MPSE
HIGHLIGHT CUBE**

Art. No. 197769.0
Material Eisen, Acrylglas
Size 30 x 40 x 30cm



6

GOGGLE / HELMET DISPLAY

Art. No. 197708.2
Material Eisen
Size 8 x 20 x 35 cm



7

MPSE CAGE

Art. No. 197767.0
Material Eisen
Size 30 x 40 x 30cm



8

MPSE POLE

Art. No. 197768.0
Material Eisen
Size 50 x 200 x 50cm



9

**MPSE POLE
BASE PLATE**

Art. No. 197768.1
Material IEisen
Size 20 x 35 x 4cm



10

**MPSE
POLE MOUNTING CLAMPS**

Art. No. 197768.3
Material Eisen
Size 6 x 6 cm



MARKER IS A MEMBER OF MDV SPORTS

MARKER

DALBELLO

VÖLKL

MARKER.NET | MDVSPORTS.COM

IMPRINT

INTERNATIONAL HEADQUARTER

Marker Deutschland GmbH
Dr. Gotthilf-Näher-Strasse 6
82377 Penzberg
Germany
Ph: +49 (0) 8856 8000-0
Fax: +49 (0) 8856 8000-271
info@marker.de



Photography: Adam Clark, Peter Mathis, GEPA,
Michael Mayer, Pally Learmond
Created & produced by: yearning.de

Marker, Marker Alpinist, Kingpin, GripWalk, X-Cell,
Piston, Glide, Fastrak, Duke, Jester, Baron, Griffon,
Squire, Schizo, Ampire, are registered trademarks
of Marker Dalbello Völkl (International) GmbH and
other marks are pending.

© 2018 by Marker. Subject to alternation