



VÄIKI®

PRELIMINARY

COLLECTION

2019/2020

ENGLISH

HIGHTECH MADE WHERE WE LIVE AND SKI. BAVARIA, GERMANY.

True passion lies at the heart of every great company, which makes a difference. At the heart of Völkl lies a true passion for the sport of skiing as well as the true passion for engineering. We want Völkl to be a never ending story about innovation and inspiration in the world of skiing.

Back then, we set out as avid engineers driven by German engineering virtues: accuracy, attention to detail, perseverance, determination, ambition. Ever since, these virtues run through every single product we make. They have been passed down from generation to generation, since 1923.



To us, the label "Made in Germany" isn't just a promise but a responsibility. We work hard to honor it every day.

At our main factory in Straubing, one of the world's most technologically advanced ski plants, classic handcrafting, engineering acumen and high-tech production equipment come together to produce some of the finest skis in the world: incredibly precise, forward-thinking and of unrivalled quality.

We are proud of our engineering skills. But our mission doesn't end here. Ultimately, we are skiers. We believe skiing is the greatest sport in the world. We want to enable people through the power of skiing. On skis we feel transformed. Literally and figuratively we distance ourselves from the confines of our stress-filled lives. Skis bring us to our happy place. Whether that is adrenaline, competition or soul-riding. Whether that is neck deep in powder, upside down over the kicker, or on the hut's terrace. Skiing is our lifeblood. We put so much energy into it because we get so much more of it back.

The 2018/19 range is rearing to go: refined, tuned, with fascinating new products and technology. So, step in!

3D.GLASS



1 3D.GLASS IS INTEGRATED IN THE TIP AND TAIL OF THE SKI

// flat glass under the binding making the center softer
// variable turning at any speed


2 GLASS ABOVE THE SIDEWALL

// providing additional support for superior edge grip on icy slopes

3 VERTICAL GLASS IN TIP & TAIL AREA

// more pop for faster edge to edge changes

UVO.3D




1 HORIZONTAL DAMPING FUNCTION

// building up tip pressure earlier
// rapid inclination invites the skier to move fast further inside

2 THE ENHANCED VERTICAL FUNCTION INCREASES DAMPING EFFECT

// significantly reduced vibration amplitudes
// a new level of reliability at extreme edge angles

TITANAL FRAME



VÖLKL ROCKER CONSTRUCTION

Our Rocker construction is directly integrated into the production cycle, so the rocker shape doesn't need to be bent afterwards, which makes the matching between the rocker and the other components much more harmonized and precise:

- // easier turn initiation
- // effective edge length extends, when putting the ski onto the edge
- // additional uplift for off-piste skiing



FULL ROCKER

Character: The ski is bent at a constant curvature along its entire length



XTD TIP & TAIL ROCKER

Character: Unique rocker shape, longer rocker profile compared to traditional tip & tail rocker, very short cambered profile under foot, more solid shovel and softer middle part



TIP & TAIL ROCKER

Character: Bends up only in the shovel and tail zones, with a camber shape in the middle



TIP ROCKER

Character: Only bends upwards in the shovel area, while the middle and tail of the ski feature a camber shape

VWERKS

The exclusive v-werks High tech line combines highest performance and less weight.

- // revolutionary designs that trim every possible gram
- // extreme lightweight combined with world-class performance
- // engineered and handcrafted in Germany!

3D.RIDGE

A raised central ridge that sharply levels out towards the edges, both in front of and behind the binding Benefits:

- // superior weight on wider skis
- // higher limits
- // precise flex-definition: precise power transmission from tip to tail
- // reduced rotation forces

ICE.OFF TOPSHEET

The unique surface structure and material composition reduces icing on the ski.

- // snow slides off the top sheet
- // effective weight reduction in use, up to 20 to 30%
- // additional mainly white graphics support the anti-icing effect

WOODCORE

The core is the heart of every ski and it is a major factor in determining its flex and power transmission.

- // each model now contains a unique core that is individually attuned to its intended use and the expected stresses
- // we differentiate between a broad range of woods, composites and hybrids based on their construction, thickness profile, stiffness and flex behavior

BASE

To ensure maximum speed, agility and durability we at VÖLKL only use high quality base materials.

- // more than 90% of our ski collection is set up with sintered P-Tex bases
- // excellent gliding characteristics due to a high level of wax absorption, abrasion resistance and longevity

PERFECT SETUP

Behind the VÖLKL PERFECT SETUP is an extremely complex process for optimizing all ski components, both individually and in relation to one another:

- SELECTION OF MATERIALS
- TECHNOLOGY/CONSTRUCTION
- LENGTH/RADIUS
- FLEX
- CORE
- BINDINGS SYSTEM
- ROCKER
- SIDECUT


LIGHTWEIGHT CONSTRUCTION

No matter which model or technology you choose, you as the skier will benefit from VÖLKL's lightweight construction on several levels:

- // performance and on-snow feel are enhanced with a reduced inertial mass giving the skis a more dynamic feel
- // less exertion is required to turn the skis, offsetting muscle exhaustion
- // the lighter ski offers improved handling and quicker reactions

3 RADIUS SIDECUT

THREE RADII IN ONE SKI
FOR MAXIMUM TURNING & SPEED VERSATILITY
IN ALL MOUNTAIN SKIING



LONG TAIL RADIUS



TIGHT CENTER RADIUS



LONG TIP RADIUS



R¹
NO RADIUS LIMITATION



R²
EXTREMELY EASY TO INITIATE SHORT TURNS



R³
DISRUPTION RESISTANT AT THE TIP

IPT LOWRIDE XL

ESPECIALLY FOR WIDER SKIS:
10 MM LOWER STAND HEIGHT FOR INCREASED
AGILITY AND BETTER EDGE GRIP



KEY FACTS

- // Separated toe and heel for free flex of the ski center
- // Less effort to bend the ski
- // Quicker edge change
- // More agile in short turns

RANGE OF USE:

Hard & mixed snow



TECH DEMO TOOLS

RACE TECHNOLOGY

RACETIGER SC 3D.GLASS DEMO TOOL

Art.No: 197987.150

Layer demo ski, which explains the main benefits:

3D.Glass
Core
Sidewalls
Topsheet & Base

ALL MOUNTAIN TECHNOLOGY

DEACON 84 DEMO TOOL

Art.No: 197988.177

Demo ski with transparent topsheet, which explains the main benefits:

Lowride Binding
Titanal Frame
Multiple Radius Concept
3D.Glass

FREERIDE TITANAL TECHNOLOGY

KENDO 88 3D RADIUS DEMO TOOL

Art.No: 197989.177

Demo ski with transparent topsheet, which explains the main benefits:

Titanal Frame
Titanal Center
Multiple Radius Concept
Carbon Tip
Multilayer Woodcore
Glass Reinforcement

NEW



RACETIGER RC/SC
WORLD CUP
TECHNOLOGY INSIDE

19 | 20

**KEEP ON
RACING**



**RACE
TIGER**



HIGHTECH
MADE WHERE WE
LIVE AND SKI:
**BAVARIA,
GERMANY**



RACETIGER GS PRO



RACETIGER GS



RACETIGER SL PRO



RACETIGER SL



RACETIGER RC BLACK



RACETIGER RC RED



RACETIGER SC BLACK



RACETIGER SC YELLOW



RACETIGER SC CARBON

ART. NO.	119001	119011	119021	119031	119041	119051	119061	119071	119081
SIDECUT LENGTH (RADIUS)	114_69_97 175 (18.3), 180 (19.4), 185 (20.6)	114_69_97 170 (17.1), 175 (18.3), 180 (19.4), 185 (20.6)	127_68_103 165 (12.6)	127_68_103 150 (10.2), 155 (11.0), 160 (11.8), 165 (12.6), 170 (13.4)	119_71_100 170 (15.6), 175 (16.6), 180 (17.7) 123_70_103 165 (13.0)	119_71_100 170 (15.6), 175 (16.6), 180 (17.7) 123_70_103 165 (13.0)	119_71_100 175 (16.7) 123_70_103 150 (10.5), 155 (11.3), 160 (12.1) 165 (13.0), 170 (13.9)	119_71_100 175 (16.6) 123_70_103 150 (10.5), 155 (11.3), 160 (12.1) 165 (13.0), 170 (13.9)	123_70_103 150 (10.5), 155 (11.3), 160 (12.1) 165 (13.0)
WEIGHT PER SKI	2320g* @ 175 w binding	2130g* @ 175 w binding	2210g* @ 165 w binding	2040g* @ 165 w binding	tba	tba	tba	tba	tba
TECHNOLOGY	UVO 3D 3D.Glass Powered by Titanium Full Sidewall Race Finish Base: P-TEX 4504	UVO 3D 3D.Glass Powered by Titanium Full Sidewall Base: P-TEX 4504	UVO 3D 3D.Glass Powered by Titanium Full Sidewall Race Finish Base: P-TEX 4504	UVO 3D 3D.Glass Powered by Titanium Full Sidewall Base: P-TEX 4504	UVO 3D 3D.Glass Powered by Steel Base: P-TEX 2100 Full Sidewall	UVO 3D 3D.Glass Powered by Carbon Base: P-TEX 2100 Full Sidewall			
CORE	Speedwall Multilayer Woodcore	Speedwall Multilayer Woodcore	Speedwall Multilayer Woodcore	Speedwall Multilayer Woodcore	Full SensorWoodCore	Full SensorWoodCore	Full SensorWoodCore	Full SensorWoodCore	Full SensorWoodCore light
BINDING	Marker WC Plate 10 mm	rMotion2 	Marker WC Plate 10 mm	rMotion2 	vMotion3 	vMotion3 	vMotion3 	vMotion3 	vMotion3 
ROCKER									
CHARACTER	<p>HARD SNOW PERFORMANCE</p> <p>ALL CONDITION PERFORMANCE</p> <p>LONG TURN DYNAMICS</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE</p> <p>ALL CONDITION PERFORMANCE</p> <p>LONG TURN DYNAMICS</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE</p> <p>ALL CONDITION PERFORMANCE</p> <p>LONG TURN DYNAMICS</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE</p> <p>ALL CONDITION PERFORMANCE</p> <p>LONG TURN DYNAMICS</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE</p> <p>ALL CONDITION PERFORMANCE</p> <p>LONG TURN DYNAMICS</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE</p> <p>ALL CONDITION PERFORMANCE</p> <p>LONG TURN DYNAMICS</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE</p> <p>ALL CONDITION PERFORMANCE</p> <p>LONG TURN DYNAMICS</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE</p> <p>ALL CONDITION PERFORMANCE</p> <p>LONG TURN DYNAMICS</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE</p> <p>ALL CONDITION PERFORMANCE</p> <p>LONG TURN DYNAMICS</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>

* Weight can vary slightly due to the production cycles.

PISTE/ ALL MOUNTAIN



19 | 20

DEACON

5 NEW MODELS

SOCIAL MEDIA



SLOPESLAYERS

WE ARE SEARCHING FOR #DEACONSLOPESLAYERS
WITHIN THE SKI COMMUNITY

Team challenge via brand ambassadors
Endconsumer activation via MDV social media channels
Rollout within brand partners





**DEACON
76 PRO**



**DEACON
76**



**DEACON
74 PRO**



**DEACON
74**



**DEACON
75**

NEW

ART. NO.	119111	119131	119151	119171	119175
SIDECUT LENGTH (RADIUS)	122_76_103 176 (18.3), 181 (19.4)	122_76_103 171 (17.2), 176 (18.3), 181 (19.4)	125_74_104 173 (16.0), 178 (17.0)	125_74_104 163 (14.0), 168 (15.0), 173 (16.0), 178 (17.0)	126_75_105 147 (11.3), 154 (12.2), 161 (13.5), 168 (15.0), 175 (16.5)
WEIGHT PER SKI	2470g* @ 176 w binding	2300g* @ 176 w binding	2420g* @ 173 w binding	2210g* @ 173 w binding	tba
TECHNOLOGY	UVO 3D 3D.Glass Powered by Titanium Full Sidewall Deacon PRO Finish Base: P-Tex 4504	UVO 3D 3D.Glass Powered by Titanium Full Sidewall Base: P-Tex 4504	UVO 3D 3D.Glass Powered by Titanium Full Sidewall Deacon PRO Finish Base: P-Tex 4504	UVO 3D 3D.Glass Powered by Titanium Full Sidewall Base: P-Tex 4504	Powered by Steel Full Sidewall Base: P-Tex 2100
CORE	Speedwall Multilayer Woodcore	Speedwall Multilayer Woodcore	Speedwall Multilayer Woodcore	Speedwall Multilayer Woodcore	Wood Core
BINDING	Marker WC Plate 10 mm	rMotion2 	Marker WC Plate 10 mm	rMotion2 	vMotion3 
ROCKER					
CHARACTER	<p>HARD SNOW PERFORMANCE ██████████</p> <p>ALL CONDITION PERFORMANCE ██████████</p> <p>LONG TURN DYNAMICS ██████████</p> <p>SHORT TURN AGILITY ██████████</p> <p>EASY HANDLING ██████████</p> <p>SKIER LEVEL ██████████</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE ██████████</p> <p>ALL CONDITION PERFORMANCE ██████████</p> <p>LONG TURN DYNAMICS ██████████</p> <p>SHORT TURN AGILITY ██████████</p> <p>EASY HANDLING ██████████</p> <p>SKIER LEVEL ██████████</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE ██████████</p> <p>ALL CONDITION PERFORMANCE ██████████</p> <p>LONG TURN DYNAMICS ██████████</p> <p>SHORT TURN AGILITY ██████████</p> <p>EASY HANDLING ██████████</p> <p>SKIER LEVEL ██████████</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE ██████████</p> <p>ALL CONDITION PERFORMANCE ██████████</p> <p>LONG TURN DYNAMICS ██████████</p> <p>SHORT TURN AGILITY ██████████</p> <p>EASY HANDLING ██████████</p> <p>SKIER LEVEL ██████████</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE ██████████</p> <p>ALL CONDITION PERFORMANCE ██████████</p> <p>LONG TURN DYNAMICS ██████████</p> <p>SHORT TURN AGILITY ██████████</p> <p>EASY HANDLING ██████████</p> <p>SKIER LEVEL ██████████</p> <p>< BEGINNER PROFESSIONAL ></p>

* Weight can vary slightly due to the production cycles.





DEACON 76 PRO BLACK



DEACON 76 BLACK



DEACON 74 PRO BLACK



DEACON 74 BLACK



NEW

DEACON 75 BLACK

ART. NO.	119101	119121	119141	119161	119181
SIDECUT LENGTH (RADIUS)	122_76_103 176 (18.3), 181 (19.4)	122_76_103 171 (17.2), 176 (18.3), 181 (19.4)	125_74_104 173 (16.0), 178 (17.0)	125_74_104 163 (14.0), 168 (15.0), 173 (16.0), 178 (17.0)	126_75_105 147 (11.3), 154 (12.2), 161 (13.5), 168 (15.0), 175 (16.5)
WEIGHT PER SKI	2450g* @ 176 w binding	2270g* @ 176 w binding	2410g* @ 173 w binding	2210g* @ 173 w binding	tba
TECHNOLOGY	UVO 3D 3D.Glass Powered by Titanium Full Sidewall Deacon PRO Finish Base: P-Tex 4504	UVO 3D 3D.Glass Powered by Titanium Full Sidewall Base: P-Tex 4504	UVO 3D 3D.Glass Powered by Titanium Full Sidewall Deacon PRO Finish Base: P-Tex 4504	UVO 3D 3D.Glass Powered by Titanium Full Sidewall Base: P-Tex 4504	Powered by Steel Full Sidewall Base: P-Tex 2100
CORE	Speedwall Multilayer Woodcore	Speedwall Multilayer Woodcore	Speedwall Multilayer Woodcore	Speedwall Multilayer Woodcore	Wood Core
BINDING	Marker WC Plate 10 mm	rMotion2 	Marker WC Plate 10 mm	rMotion2 	vMotion3
ROCKER					
CHARACTER	<p>HARD SNOW PERFORMANCE: 10/10</p> <p>ALL CONDITION PERFORMANCE: 8/10</p> <p>LONG TURN DYNAMICS: 9/10</p> <p>SHORT TURN AGILITY: 7/10</p> <p>EASY HANDLING: 6/10</p> <p>SKIER LEVEL: 80% (Professional)</p>	<p>HARD SNOW PERFORMANCE: 10/10</p> <p>ALL CONDITION PERFORMANCE: 8/10</p> <p>LONG TURN DYNAMICS: 9/10</p> <p>SHORT TURN AGILITY: 7/10</p> <p>EASY HANDLING: 6/10</p> <p>SKIER LEVEL: 80% (Professional)</p>	<p>HARD SNOW PERFORMANCE: 10/10</p> <p>ALL CONDITION PERFORMANCE: 8/10</p> <p>LONG TURN DYNAMICS: 9/10</p> <p>SHORT TURN AGILITY: 7/10</p> <p>EASY HANDLING: 6/10</p> <p>SKIER LEVEL: 80% (Professional)</p>	<p>HARD SNOW PERFORMANCE: 10/10</p> <p>ALL CONDITION PERFORMANCE: 8/10</p> <p>LONG TURN DYNAMICS: 9/10</p> <p>SHORT TURN AGILITY: 7/10</p> <p>EASY HANDLING: 6/10</p> <p>SKIER LEVEL: 80% (Professional)</p>	<p>HARD SNOW PERFORMANCE: 10/10</p> <p>ALL CONDITION PERFORMANCE: 8/10</p> <p>LONG TURN DYNAMICS: 9/10</p> <p>SHORT TURN AGILITY: 7/10</p> <p>EASY HANDLING: 6/10</p> <p>SKIER LEVEL: 80% (Professional)</p>

* Weight can vary slightly due to the production cycles.





NEW

**DEACON
84**



NEW

**DEACON
80**



**DEACON
79**



**DEACON
XTD**



**DEACON
XT**



NEW

**DEACON
X**

	DEACON 84	DEACON 80	DEACON 79	DEACON XTD	DEACON XT	DEACON X
ART. NO.	119221	119231	119241	119191	119201	119211
SIDECUT LENGTH (RADIUS)	132_84_115 162 (13.9), 167 (14.8), 172 (15.8), 177 (16.9), 182 (17.9)	128_80_111 162 (13.9), 167 (14.8), 172 (15.8), 177 (16.9), 182 (17.9)	129_79_109 156 (12.7), 163 (14.1), 170 (15.6), 177 (17.1)	124_76_105 154 (12.7), 161 (14.2), 168 (15.7), 175 (17.3)	124_76_105 147 (11.8), 154 (12.7), 161 (14.2), 168 (15.7), 175 (17.3)	123_72_104 144 (10.1), 151 (11.4), 158 (12.7), 165 (14.0), 172 (15.5)
WEIGHT PER SKI	tba	tba	1880g* @ 177 w binding	2850g* @ 168 w binding	1850g* @ 168 w binding	tba
TECHNOLOGY	3D.Ridge 3D.Glass Titanal Frame 3 Radius Sidecut Full Sidewall Base: P-Tex 4504	3D.Ridge 3D.Glass Powered by Steel Glass Frame 3 Radius Sidecut Full Sidewall Base: P-Tex 2100	3D.Ridge Powered by Steel Center Sidewall Base: P-Tex 2100	Center Sidewall Base P-Tex: 2100	Center Sidewall Base P-Tex: 2100	Center Sidewall Base: P-Tex 2100
CORE	3D Full SensorWoodCore	3D Full SensorWoodCore	Dual Wood Core XL	Dual Wood Core	Wood Core	Composite Core
BINDING	LowRide XL 	LowRide XL 	Wideride XL 	vMotion2 	vMotion1 	vMotion1
ROCKER						
CHARACTER	<p>HARD SNOW PERFORMANCE: 10/10</p> <p>ALL CONDITION PERFORMANCE: 8/10</p> <p>LONG TURN DYNAMICS: 7/10</p> <p>SHORT TURN AGILITY: 6/10</p> <p>EASY HANDLING: 5/10</p> <p>SKIER LEVEL: < BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE: 10/10</p> <p>ALL CONDITION PERFORMANCE: 8/10</p> <p>LONG TURN DYNAMICS: 7/10</p> <p>SHORT TURN AGILITY: 6/10</p> <p>EASY HANDLING: 5/10</p> <p>SKIER LEVEL: < BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE: 10/10</p> <p>ALL CONDITION PERFORMANCE: 8/10</p> <p>LONG TURN DYNAMICS: 7/10</p> <p>SHORT TURN AGILITY: 6/10</p> <p>EASY HANDLING: 5/10</p> <p>SKIER LEVEL: < BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE: 10/10</p> <p>ALL CONDITION PERFORMANCE: 8/10</p> <p>LONG TURN DYNAMICS: 7/10</p> <p>SHORT TURN AGILITY: 6/10</p> <p>EASY HANDLING: 5/10</p> <p>SKIER LEVEL: < BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE: 10/10</p> <p>ALL CONDITION PERFORMANCE: 8/10</p> <p>LONG TURN DYNAMICS: 7/10</p> <p>SHORT TURN AGILITY: 6/10</p> <p>EASY HANDLING: 5/10</p> <p>SKIER LEVEL: < BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE: 10/10</p> <p>ALL CONDITION PERFORMANCE: 8/10</p> <p>LONG TURN DYNAMICS: 7/10</p> <p>SHORT TURN AGILITY: 6/10</p> <p>EASY HANDLING: 5/10</p> <p>SKIER LEVEL: < BEGINNER PROFESSIONAL ></p>

* Weight can vary slightly due to the production cycles.



19 | 20

FLAIR



NEW



3 NEW MODELS:

FLAIR SC CARBON

FLAIR 75

FLAIR 72



FLAIR 81 CARBON



FLAIR 79



FLAIR SC CARBON **NEW**



FLAIR SC



FLAIR 75 **NEW**



FLAIR 76 ELITE



FLAIR 76



FLAIR 72 **NEW**

ART. NO.	119281	119291	119251	119261	119271	119301	119311	119321
SIDECUT LENGTH (RADIUS)	128_81_109 149 (12.3), 156 (13.3), 163 (14.7), 170 (16.3)	129_79_109 149 (11.8), 156 (12.7), 163 (14.1), 170 (15.6)	123_70_103 150 (10.5), 155 (11.3), 160 (12.1), 165 (13.0)	122_73_103 153 (12.4), 158 (13.4), 163 (14.3)	126_75_105 147 (11.3), 154 (12.2), 161 (13.5)	124_76_105 147 (11.8), 154 (12.7), 161 (14.2)	124_76_105 147 (11.8), 154 (12.7), 161 (14.2)	123_72_104 137 (9.4), 144 (10.1), 151 (11.4), 158 (12.7), 165 (14.0)
WEIGHT PER SKI	1570g* @ 163 w binding	1590g* @ 163 w binding	1720g* @ 165 w binding	1850g* @ 163 w binding	tba	1750g* @ 161 w binding	1630g* @ 161 w binding	tba
TECHNOLOGY	3D.Ridge 3D.Glass Full Sidewall Powered by Carbon Base: P-Tex 2100	3D.Ridge Full Sidewall Powered by Steel Center Sidewall Base: P-Tex 2100	UVO 3D 3D.Glass Full Sidewall Powered by Carbon Base: P-Tex 2100	Powered by Steel Full Sidewall Base: P-Tex 2100	Full Sidewall Powered by Steel Base: P-Tex 2100	Center Sidewall Base: P-Tex 2100	Center Sidewall Base: P-Tex 2100	Center Sidewall Base: P-Tex 2100
CORE	3D.Ridge Core Light	Dual Wood Core XL	Full SensorWoodcore Light	Wood Core Light	Wood Core	Dual Wood Core	Wood Core	Composite Core
BINDING	WideRideXL 	WideRideXL 	vMotion3 	vMotion3 	vMotion3 	vMotion2 	vMotion1 	vMotion1 
ROCKER								
CHARACTER	<p>HARD SNOW PERFORMANCE: ██████████</p> <p>ALL CONDITION PERFORMANCE: ██████████</p> <p>LONG TURN DYNAMICS: ██████████</p> <p>SHORT TURN AGILITY: ██████████</p> <p>EASY HANDLING: ██████████</p> <p>SKIER LEVEL: ████ PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE: ██████████</p> <p>ALL CONDITION PERFORMANCE: ██████████</p> <p>LONG TURN DYNAMICS: ██████████</p> <p>SHORT TURN AGILITY: ██████████</p> <p>EASY HANDLING: ██████████</p> <p>SKIER LEVEL: ████ PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE: ██████████</p> <p>ALL CONDITION PERFORMANCE: ██████████</p> <p>LONG TURN DYNAMICS: ██████████</p> <p>SHORT TURN AGILITY: ██████████</p> <p>EASY HANDLING: ██████████</p> <p>SKIER LEVEL: ████ PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE: ██████████</p> <p>ALL CONDITION PERFORMANCE: ██████████</p> <p>LONG TURN DYNAMICS: ██████████</p> <p>SHORT TURN AGILITY: ██████████</p> <p>EASY HANDLING: ██████████</p> <p>SKIER LEVEL: ████ PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE: ██████████</p> <p>ALL CONDITION PERFORMANCE: ██████████</p> <p>LONG TURN DYNAMICS: ██████████</p> <p>SHORT TURN AGILITY: ██████████</p> <p>EASY HANDLING: ██████████</p> <p>SKIER LEVEL: ████ PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE: ██████████</p> <p>ALL CONDITION PERFORMANCE: ██████████</p> <p>LONG TURN DYNAMICS: ██████████</p> <p>SHORT TURN AGILITY: ██████████</p> <p>EASY HANDLING: ██████████</p> <p>SKIER LEVEL: ████ PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE: ██████████</p> <p>ALL CONDITION PERFORMANCE: ██████████</p> <p>LONG TURN DYNAMICS: ██████████</p> <p>SHORT TURN AGILITY: ██████████</p> <p>EASY HANDLING: ██████████</p> <p>SKIER LEVEL: ████ PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE: ██████████</p> <p>ALL CONDITION PERFORMANCE: ██████████</p> <p>LONG TURN DYNAMICS: ██████████</p> <p>SHORT TURN AGILITY: ██████████</p> <p>EASY HANDLING: ██████████</p> <p>SKIER LEVEL: ████ PROFESSIONAL ></p>

* Weight can vary slightly due to the production cycles.



**WHAT
GOES UP
HAS FUN
COMING
DOWN**

19 | 20

TOURING

FACTS & FIGURES



NEW MODELS:

MANTRA 102 / SECRET 102

KENDO 92

KENDO 88 / KENJA 88

TITANAL FRAME TECHNOLOGY

MADE IN GERMANY

19 | 20

FREERIDE



SOCIAL MEDIA



VÖLKL FREERIDE SQUAD



**WE ARE SEARCHING FOR #DEACONSLOPESLAYERS
WITHIN THE SKI COMMUNITY**

Team challenge via brand ambassadors
Endconsumer activation via MDV social media channels
Rollout within brand partners



CONFESSION



MANTRA 102

NEW



M5 MANTRA



KENDO 92

NEW



KENDO 88

NEW



KANJO

SPORTIVE FREERIDE

// Teamrider Set up
// Technology: Titanal Band, Carbon Stringers

ALLMOUNTAIN FREERIDE

// High sportive setup for all mountain freeride
// technology: Titanal Frame / Titanal band

	CONF	MANTRA 102	M5 MANTRA	KENDO 92	KENDO 88	KANJO
ART. NO.	119400	119402	119404	119406	119408	119410
SIDECUT LENGTH (RADIUS)	144_117_133 179 (21.2), 186 (23.8), 193 (26.5)	140_102_123 170 (18.1), 177 (20.1), 184 (21.4), 191 (23.5)	134_96_117 170 (17.9), 177 (19.8), 184 (21.2), 191 (23.3)	130_92_113 170 (17.9), 177 (19.8), 184 (21.2)	129_88_111 163 (15.0), 170 (16.8), 177 (18.6), 184 (19.8)	123_84_104 154 (14.6), 161 (15.8), 168 (17.6), 175 (19.6), 182 (21.6)
WEIGHT PER SKI	2260g* @ 186	tba	2030g* @ 177	tba	tba	1600g* @ 175
TECHNOLOGY	Titanal Band Carbon Stringers Full Sidewall Base: P-Tex 4504	Titanal Frame 3 Radius Sidecut Carbon Tips Full Sidewall Base: P-Tex 2100	Titanal Frame Carbon Tips Full Sidewall Base: P-Tex 2100	Titanal Frame Carbon Tips Full Sidewall Base: P-Tex 2100	Titanal Frame Carbon Tips Full Sidewall 3 Radius Sidecut Base: P-Tex 2100	Titanal Band Full Sidewall Base: P-Tex 2100
CORE	Multi Layer Woodcore					
BINDING	Marker rec. Royal Family					
ROCKER						
CHARACTER	<p>FREERIDE PERFORMANCE ██████████</p> <p>ALLMOUNTAIN PERFORMANCE ██████████</p> <p>LONG TURN DYNAMICS ██████████</p> <p>SHORT TURN AGILITY ██████████</p> <p>EASY HANDLING ██████████</p> <p>SKIER LEVEL ██████████</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>FREERIDE PERFORMANCE ██████████</p> <p>ALLMOUNTAIN PERFORMANCE ██████████</p> <p>LONG TURN DYNAMICS ██████████</p> <p>SHORT TURN AGILITY ██████████</p> <p>EASY HANDLING ██████████</p> <p>SKIER LEVEL ██████████</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>FREERIDE PERFORMANCE ██████████</p> <p>ALLMOUNTAIN PERFORMANCE ██████████</p> <p>LONG TURN DYNAMICS ██████████</p> <p>SHORT TURN AGILITY ██████████</p> <p>EASY HANDLING ██████████</p> <p>SKIER LEVEL ██████████</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>FREERIDE PERFORMANCE ██████████</p> <p>ALLMOUNTAIN PERFORMANCE ██████████</p> <p>LONG TURN DYNAMICS ██████████</p> <p>SHORT TURN AGILITY ██████████</p> <p>EASY HANDLING ██████████</p> <p>SKIER LEVEL ██████████</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>FREERIDE PERFORMANCE ██████████</p> <p>ALLMOUNTAIN PERFORMANCE ██████████</p> <p>LONG TURN DYNAMICS ██████████</p> <p>SHORT TURN AGILITY ██████████</p> <p>EASY HANDLING ██████████</p> <p>SKIER LEVEL ██████████</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>FREERIDE PERFORMANCE ██████████</p> <p>ALLMOUNTAIN PERFORMANCE ██████████</p> <p>LONG TURN DYNAMICS ██████████</p> <p>SHORT TURN AGILITY ██████████</p> <p>EASY HANDLING ██████████</p> <p>SKIER LEVEL ██████████</p> <p>< BEGINNER PROFESSIONAL ></p>

* Weight can vary slightly due to the production cycles.







SECRET 102

SECRET 92

KENJA 88

YUMI

ART. NO.	119412	119414	119416	118418
SIDECUT LENGTH (RADIUS)	140_102_123 156 (14.5), 163 (16.3), 170 (18.1)	130_92_113 149 (12.6), 156 (14.2), 163 (16.0), 170 (17.9)	129_88_111 149 (11.9), 156 (13.4), 163 (15.0), 170 (16.8)	123_84_104 147 (12.9), 154 (14.6), 161 (15.8), 168 (17.6)
WEIGHT PER SKI	tba	1760g* @ 163	tba	1440g* @ 161
TECHNOLOGY	Titanal Frame 3 Radius Sidecut Carbon Tips Full Sidewall Base: P-Tex 2100	Titanal Frame Carbon Tips Full Sidewall Base: P-Tex 2100	Titanal Frame Carbon Tips Full Sidewall 3 Radius Sidecut Base: P-Tex 2100	Titanal Band Full Sidewall Base: P-Tex 2100
CORE	Multi Layer Woodcore	Multi Layer Woodcore	Multi Layer Woodcore	Multi Layer Woodcore
BINDING	Marker rec. Royal Family			
ROCKER				
CHARACTER	<p>FREERIDE PERFORMANCE </p> <p>ALLMOUNTAIN PERFORMANCE </p> <p>LONG TURN DYNAMICS </p> <p>SHORT TURN AGILITY </p> <p>EASY HANDLING </p> <p>SKIER LEVEL </p> <p>< BEGINNER PROFESSIONAL ></p>	<p>FREERIDE PERFORMANCE </p> <p>ALLMOUNTAIN PERFORMANCE </p> <p>LONG TURN DYNAMICS </p> <p>SHORT TURN AGILITY </p> <p>EASY HANDLING </p> <p>SKIER LEVEL </p> <p>< BEGINNER PROFESSIONAL ></p>	<p>FREERIDE PERFORMANCE </p> <p>ALLMOUNTAIN PERFORMANCE </p> <p>LONG TURN DYNAMICS </p> <p>SHORT TURN AGILITY </p> <p>EASY HANDLING </p> <p>SKIER LEVEL </p> <p>< BEGINNER PROFESSIONAL ></p>	<p>FREERIDE PERFORMANCE </p> <p>ALLMOUNTAIN PERFORMANCE </p> <p>LONG TURN DYNAMICS </p> <p>SHORT TURN AGILITY </p> <p>EASY HANDLING </p> <p>SKIER LEVEL </p> <p>< BEGINNER PROFESSIONAL ></p>

* Weight can vary slightly due to the production cycles.



100 EIGHT



100 EIGHT W



90 EIGHT



90 EIGHT W



KATANA V.WERKS



MANTRA V.WERKS

VERSATILE FREERIDE

// Allmountain Fun Setup for broadband freeriding
// Technology: 3D.Ridge, 3D.Glass, Carbon Stringers

SPORTIVE/AMBITIOUS FREERIDE

// Sportive Freeride Superlight Setup
// Technology: 3D.Ridge Carbon, Full Carbon Jacket, ICE.OFF Topsheet



ART. NO.	118424	118426	118428	118430	118420	118422
SIDECUT LENGTH (RADIUS)	141_108_124 173 (19.7), 181 (22.0), 189 (24.5)	141_108_124 157 (14.6), 165 (16.7), 173 (19.7)	133_98_116 163 (15.9), 170 (17.9), 177 (20.1), 184 (22.3)	133_98_116 156 (14.6), 163 (15.9), 170 (17.9)	141_112_131 177 (23.4) 143_112_132 184 (23.5), 191 (25.9)	135_99_117 170 (18.0), 178 (20.8), 186 (23.0)
WEIGHT PER SKI	2040g* @ 181	1770g* @ 165	1780g* @ 177	1550g* @ 163	1910g* @ 184	1690g* @ 178
TECHNOLOGY	3D.Glass 3D.Ridge Carbon Stringers Full Sidewall Moderate Taper Base: P-TEX 2100	3D.Ridge Carbon ICE.OFF topsheet SkinPin Moderate Taper Full Carbon Jacket Center Sidewall Base: P-TEX 4500	3D.Ridge Carbon Titanal Band ICE.OFF topsheet SkinPin Moderate Taper Full Carbon Jacket Center Sidewall Base: P-TEX 4500			
CORE	Multi Layer Woodcore	Multi Layer Woodcore	Multi Layer Woodcore	Multi Layer Woodcore	Multi Layer Woodcore light	Multi Layer Woodcore light
BINDING	Marker rec. // Royal Family // Kingpin					
ROCKER	 FULL ROCKER	 FULL ROCKER	 TIP & TAIL ROCKER	 TIP & TAIL ROCKER	 FULL ROCKER	 TIP & TAIL ROCKER
CHARACTER	<p>FREERIDE PERFORMANCE ██████████</p> <p>ALLMOUNTAIN PERFORMANCEEE ██████████</p> <p>LONG TURN DYNAMICS ██████████</p> <p>SHORT TURN AGILITY ██████████</p> <p>EASY HANDLING ██████████</p> <p>SKIER LEVEL ██████████</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>FREERIDE PERFORMANCE ██████████</p> <p>ALLMOUNTAIN PERFORMANCEEE ██████████</p> <p>LONG TURN DYNAMICS ██████████</p> <p>SHORT TURN AGILITY ██████████</p> <p>EASY HANDLING ██████████</p> <p>SKIER LEVEL ██████████</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>FREERIDE PERFORMANCE ██████████</p> <p>ALLMOUNTAIN PERFORMANCEEE ██████████</p> <p>LONG TURN DYNAMICS ██████████</p> <p>SHORT TURN AGILITY ██████████</p> <p>EASY HANDLING ██████████</p> <p>SKIER LEVEL ██████████</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>FREERIDE PERFORMANCE ██████████</p> <p>ALLMOUNTAIN PERFORMANCEEE ██████████</p> <p>LONG TURN DYNAMICS ██████████</p> <p>SHORT TURN AGILITY ██████████</p> <p>EASY HANDLING ██████████</p> <p>SKIER LEVEL ██████████</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>FREERIDE PERFORMANCE ██████████</p> <p>ALLMOUNTAIN PERFORMANCEEE ██████████</p> <p>LONG TURN DYNAMICS ██████████</p> <p>SHORT TURN AGILITY ██████████</p> <p>EASY HANDLING ██████████</p> <p>SKIER LEVEL ██████████</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>FREERIDE PERFORMANCE ██████████</p> <p>ALLMOUNTAIN PERFORMANCEEE ██████████</p> <p>LONG TURN DYNAMICS ██████████</p> <p>SHORT TURN AGILITY ██████████</p> <p>EASY HANDLING ██████████</p> <p>SKIER LEVEL ██████████</p> <p>< BEGINNER PROFESSIONAL ></p>

* Weight can vary slightly due to the production cycles.

19 | 20

FREESTYLE



FACTS



BUILT TOGETHER CONCEPT

Athletes are integrated into the design and testing process of every Freestyle ski

NEW PRODUCT

REVOLT 121



RIDE AND REVOLT



BUILT



TOGETHER



**REVOLT
121**

NEW

**REVOLT
95**

**REVOLT
87**

**REVOLT
86**

**BASH
86**

**BASH
86 W**

**BASH
81**

POWDER FREESTYLE

URBAN FREESTYLE

COMPETITION FREESTYLE

PARK FREESTYLE

PARK FREESTYLE

PARK FREESTYLE

**BEGINNER
PARK FREESTYLE**

// Focus on the needs and application areas of our teamriders
// Technology: Twintip, target group specific technology

	REVOLT 121	REVOLT 95	REVOLT 87	REVOLT 86	BASH 86	BASH 86 W	BASH 81
ART. NO.	119436	119438	119440	119.442	119444	119446	119448
SIDECUT LENGTH (RADIUS)	143_121_135 177 (17.4), 184 (19.2), 191 (21.7)	129_95_119 157 (16.7), 165 (18.6), 173 (21.3), 181 (23.4)	115_87_115 161 (16.3), 169 (18.2), 177 (20.2), 185 (22.3)	120_86_110 148 (14.8), 156 (16.6), 164 (18.5), 172 (21.2), 180 (23.3)	120_86_110 148 (14.8), 156 (16.6), 164 (18.5), 172 (21.2), 180 (23.3)	120_86_110 148 (14.8), 156 (16.6), 164 (18.5), 172 (21.2)	111_81_104 148 (13.9), 158 (16.3), 168 (18.9), 178 (21.8)
WEIGHT PER SKI	2440g* @ 184	1900g* @ 173	2020g* @ 185	1750g* @ 172	1750g* @ 172	1590g* @ 164	1670g* @ 168
TECHNOLOGY	Tough Box Construction Multiple Radius Concept Base: P-TEX 3000	Tough Box Construction Base: P-TEX 2100	Tough Box Construction Base: P-TEX 4504	Tough Box Construction Base: P-TEX 3000	Tough Box Construction Base: P-TEX 3000	Tough Box Construction Base: P-TEX 2100	Tough Box Construction Base: DS F7501
CORE	Multi Layer Woodcore	Multi Layer Woodcore	Multi Layer Woodcore	Multi Layer Woodcore	Multi Layer Woodcore	Multi Layer Woodcore	Multi Layer Woodcore
BINDING	Marker rec. Royal Family	Marker rec. Royal Family	Marker rec. Royal Family	Marker rec. Royal Family	Marker rec. Royal Family	Marker rec. Royal Family	Marker rec. Royal Family
ROCKER							
CHARACTER	<p>POWDER PERFORMANCE</p> <p>LANDING SUPPORT</p> <p>BALANCE IN ROTATIONS</p> <p>BUTTER SUPPORT</p> <p>GLIDING SPEED</p>	<p>ALLMOUNTAIN PERFORMANCE</p> <p>LANDING SUPPORT</p> <p>BALANCE IN ROTATIONS</p> <p>BUTTER SUPPORT</p> <p>GLIDING SPEED</p>	<p>ALLMOUNTAIN PERFORMANCE</p> <p>LANDING SUPPORT</p> <p>BALANCE IN ROTATIONS</p> <p>BUTTER SUPPORT</p> <p>GLIDING SPEED</p>	<p>ALLMOUNTAIN PERFORMANCE</p> <p>LANDING SUPPORT</p> <p>BALANCE IN ROTATIONS</p> <p>BUTTER SUPPORT</p> <p>GLIDING SPEED</p>	<p>ALLMOUNTAIN PERFORMANCE</p> <p>LANDING SUPPORT</p> <p>BALANCE IN ROTATIONS</p> <p>BUTTER SUPPORT</p> <p>GLIDING SPEED</p>	<p>ALLMOUNTAIN PERFORMANCE</p> <p>LANDING SUPPORT</p> <p>BALANCE IN ROTATIONS</p> <p>BUTTER SUPPORT</p> <p>GLIDING SPEED</p>	<p>ALLMOUNTAIN PERFORMANCE</p> <p>LANDING SUPPORT</p> <p>BALANCE IN ROTATIONS</p> <p>BUTTER SUPPORT</p> <p>GLIDING SPEED</p>

* Weight can vary slightly due to the production cycles.

* Weight can vary slightly due to the production cycles.



RACETIGER JR.
RED



RACETIGER JR.
YELLOW



DEACON JR.



CHICA



CONFESSION JR.



MANTRA JR.

NEW
ROCKER



REVOLT JR.

NEW
ROCKER



BASH W JR.

NEW
ROCKER



MINI REVOLT JR.

	RACETIGER JR. RED	RACETIGER JR. YELLOW	DEACON JR.	CHICA	CONFESSION JR.	MANTRA JR.	REVOLT JR.	BASH W JR.	MINI REVOLT JR.
ART. NO.	119461 (VMotion) 119460 (Flat)	119465 (VMotion) 119464 (Flat)	119469 (VMotion) 119468 (Flat)	119473 (VMotion) 119472 (Flat)	119432	119434	119450 (VMotion) 119452 (Flat)	119454	119456 (VMotion) 119458 (Flat)
SIDECUT LENGTH (RADIUS)	93_67_76 70 (4.7)**, 80 (6.6), 90 (8.8) 100_68_82 100 (8.3), 110 (10.4), 120 (12.7) 109_69_88 130 (11.2), 140 (13.3), 150 (15.6), 160 (17.9)	93_67_76 70 (4.7)**, 80 (6.6), 90 (8.8) 100_68_82 100 (8.3), 110 (10.4), 120 (12.7) 109_69_88 130 (11.2), 140 (13.3), 150 (15.6), 160 (17.9)	93_67_76 70 (4.7)**, 80 (6.6), 90 (8.8) 100_68_82 100 (8.3), 110 (10.4), 120 (12.7) 109_69_88 130 (11.2), 140(13.3), 150 (15.6), 160 (17.9)	93_67_76 70 (4.7)**, 80 (6.6), 90 (8.8) 100_68_82 100(8.3), 110 (10.4), 120 (12.7) 109_69_88 130 (11.2), 140 (13.3), 150 (15.6), 160 (17.9)	132_100_116 143 (14.9), 153 (17.5), 163 (20.3)	118_86_111 118 (8.3), 128 (10.2), 138 (12.3), 148 (14.5), 158 (16.9)	106_74_99 118 (8.9), 128 (10.8), 138 (13.0), 148 (15.3)	106_74_99 118 (8.9), 128 (10.8), 138 (13.0), 148 (15.3)	96_66_89 88 (4.6), 98 (6.0), 108 (7.7)
WEIGHT PER SKI	740 g* @ 110 w/o binding 1442 g* @ 110 w binding	740 g* @ 110 w/o binding 1442 g* @ 110 w binding	740 g* @ 110 w/o binding 1442 g* @ 110 w binding	740 g* @ 110 w/o binding 1442 g* @ 110 w binding	1640g* @ 153	1120g* @ 138	1045g* @ 138	1045g* @ 138	565g* @ 98
TECHNOLOGY	Power Shell	Power Shell	Power Shell	Power Shell	Tough Box Construction Base:P-Tex 2100	Power Construction	Power Shell Base: DS F7501	Power Shell Base: DS F7501	Twintip Power Shell Base: SKP V2
CORE	Composite Core	Composite Core	Composite Core	Composite Core	Multi Layer Woodcore	Full Sensor Woodcore	Full Sensor Woodcore	Full Sensor Woodcore	Composite Core
BINDING	Flat (70cm +) vMotion Jr. (80cm+) 	Flat (70cm +) vMotion Jr. (80cm+) 	Flat (70cm +) vMotion Jr. (80cm+) 	Flat (70cm +) vMotion Jr. (80cm+) 	Marker rec.				
ROCKER									
CHARACTER	<p>HARD SNOW PERFORMANCE</p> <p>ALL CONDITION PERFORMANCE</p> <p>LONG TURN PERFORMANCE</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE</p> <p>ALL CONDITION PERFORMANCE</p> <p>LONG TURN PERFORMANCE</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE</p> <p>ALL CONDITION PERFORMANCE</p> <p>LONG TURN PERFORMANCE</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE</p> <p>ALL CONDITION PERFORMANCE</p> <p>LONG TURN PERFORMANCE</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>JUNIOR POWDER</p>	<p>JUNIOR ALLMOUNTAIN FREERIDE</p>	<p>JUNIOR FREESTYLE</p>	<p>JUNIOR FREESTYLE</p>	<p>JUNIOR FREESTYLE</p>

* Weight can vary slightly due to the production cycles.



**DEACON
7.4 RED**



**DEACON
7.6 GOLD**



**DEACON
7.6 ORANGE**



**DEACON
8.0 GREEN**



NEW

**M5 MANTRA
DEMO**



NEW

**KENDO 88
DEMO**



NEW

**KANJO
DEMO**



**BASH
81 DEMO**


ART. NO.	119361	119363	119365 (w Plate)	119367 (w Plate) 119370 (w/o Plate)	119350	119352	119354	119356
SIDECUT LENGTH (RADIUS)	118_74_103 128 (8.3), 135 (9.5), 142 (10.8), 149 (12.2), 156 (13.1), 163 (14.5), 170 (16.1), 177 (17.7)	125_76_105 133 (9.2), 140 (10.4), 147 (11.7), 154 (13.1), 161 (14.1), 168 (15.5), 175 (17.1)	125_76_105 133 (9.2), 140 (10.4), 147 (11.7), 154 (13.1), 161 (14.1), 168 (15.5), 175 (17.1)	125_80_109 130 (9), 137 (10.2), 144 (11.5), 151 (12.5), 158 (13.9), 165 (15.4), 172 (17), 179 (18.7)	134_96_117 170 (17.9), 177 (19.8), 184 (21.2), 191 (23.3)	129_88_111 170 (16.8), 177 (18.6), 184 (19.8)	123_84_104 154 (14.6), 161 (15.8), 168 (17.6), 175 (19.6), 182 (21.6)	111_81_104 148 (13.9), 158 (16.3), 168 (18.9), 178 (21.8)
WEIGHT PER SKI	2521g* @ 163 w FDT binding	2731g* @ 168 w FDT binding	2731g* @ 168 w FDT binding	2691g* @ 165 w FDT binding	tba	tba	tba	1740 g* @ 168
TECHNOLOGY	Base: P-TEX 2100 Barcode Protected Sticker Area	Base: P-TEX 2100 Barcode Protected Sticker Area	Base: P-TEX 2100 Barcode Protected Sticker Area	Base: P-TEX 2100 Barcode	Titanal Frame Carbon Tips Full Sidewall Structured Demo Topsheet Metal Tip Protector Base: P-TEX 2100	Titanal Frame Carbon Tips 3 Radius Sidecut Full Sidewall Structured Demo Topsheet Metal Tip Protector Base: P-TEX 2100	Titanal Band Full Sidewall Structured Demo Topsheet Metal Tip Protector Base: P-TEX 2100	Tough Box Construction
CORE	Full Sensor Woodcore	Woodcore	Woodcore	Woodcore	Multi Layer Woodcore	Multi Layer Woodcore	Multi Layer Woodcore	Multi Layer Woodcore
BINDING	FDT-Plate 	FDT-Plate 	FDT-Plate 	Flat/FDT-Plate 	FDT-Plate premounted 	FDT-Plate premounted 	FDT-Plate premounted 	Marker rec. Royal Family
ROCKER								
CHARACTER	<p>HARD SNOW PERFORMANCE</p> <p>ALL CONDITION PERFORMANCE</p> <p>LONG TURN PERFORMANCE</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE</p> <p>ALL CONDITION PERFORMANCE</p> <p>LONG TURN PERFORMANCE</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE</p> <p>ALL CONDITION PERFORMANCE</p> <p>LONG TURN PERFORMANCE</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>HARD SNOW PERFORMANCE</p> <p>ALL CONDITION PERFORMANCE</p> <p>LONG TURN PERFORMANCE</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>FREERIDE PERFORMANCE</p> <p>ALLMOUNTAIN PERFORMANCE</p> <p>LONG TURN PERFORMANCE</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>FREERIDE PERFORMANCE</p> <p>ALLMOUNTAIN PERFORMANCE</p> <p>LONG TURN PERFORMANCE</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>FREERIDE PERFORMANCE</p> <p>ALLMOUNTAIN PERFORMANCE</p> <p>LONG TURN PERFORMANCE</p> <p>SHORT TURN AGILITY</p> <p>EASY HANDLING</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>	<p>FREERIDE PERFORMANCE</p> <p>ALLMOUNTAIN PERFORMANCE</p> <p>DAMPING AT SPEED</p> <p>SKIER LEVEL</p> <p>< BEGINNER PROFESSIONAL ></p>

* Weight can vary slightly due to the production cycles.



19 | 20

BINDINGS



VMOTION JUNIOR



7.0 VMOTION JR. R

ART. NO.
6262T1VA
COLOR
black - anthracite
DIN-ISO
2.0 - 7.0



7.0 VMOTION JR. R LADY

ART. NO.
6262T1VB
COLOR
white
DIN-ISO
2.0 - 7.0



4.5 VMOTION JR.

ART. NO.
6162T1VA
COLOR
black - anthracite
DIN-ISO
0.75 - 4.5



4.5 VMOTION JR. LADY

ART. NO.
6162T1VB
COLOR
white
DIN-ISO
0.75 - 4.5

WIDERIDE XL TCX DEMO GW



IPT WR XL 12 TCX GW

ART. NO.
6835T1VG
COLOR
black - green
DIN-ISO
4.0 - 12.0



IPT WR XL 11 TCX GW LADY

ART. NO.
6735T1VB
COLOR
white - pale blue
DIN-ISO
3.0 - 11.0



IPT WR XL 11 TCX GW LADY

ART. NO.
6735T1VL
COLOR
black - magenta
DIN-ISO
3.0 - 11.0



LOWRIDE XL 13 FR DEMO GW

ART. NO.
7535T1VP
COLOR
black - teal
DIN-ISO
4.0 - 13.0



LOWRIDE XL 13 FR DEMO GW

ART. NO.
7535T1VF
COLOR
black - flo red
DIN-ISO
4.0 - 13.0

rMOTION2 GW



RMOTION2 16 GW BLACK RED

ART. NO.
6977R1VR
COLOR
black - flo-red
DIN-ISO
6.0 - 16.0



RMOTION2 12 GW BLACK RED

ART. NO.
6877T1VR
COLOR
black - flo-red
DIN-ISO
4.0 - 12.0



RMOTION2 12 GW BLACK

ART. NO.
6877T1VB
COLOR
black
DIN-ISO
4.0 - 12.0



VMOTION GW (FDT / FDT HP)



VMOTION 12 GW	VMOTION 12 ALU GW	VMOTION 11 ALU GW LADY GOLD	VMOTION 11 ALU GW LADY SILVER	VMOTION 11 GW
ART. NO. 6862R1VA	ART. NO. 6862R1VB	ART. NO. 6762T1VP	ART. NO. 6762S1VS	ART. NO. 6662S1VA
COLOR black - white	COLOR black - white	COLOR black - gold	COLOR black - white - silver	COLOR black - white
DIN-ISO 4.0 - 12.0	DIN-ISO 4.0 - 12.0	DIN-ISO 3.0 - 11.0	DIN-ISO 3.0 - 11.0	DIN-ISO 3.0 - 11.0



VMOTION 10 GW	VMOTION 10 GW LADY BLACK WHITE	VMOTION 10 GW LADY VIOLET	VMOTION 10 GW LADY GOLD	VMOTION 9 GW LADY
ART. NO. 6562S1VA	ART. NO. 6562S1VL	ART. NO. 6562T1VR	ART. NO. 6562T1VC	ART. NO. 6462R1VL
COLOR black - white	COLOR black - white	COLOR black - violett	COLOR black - gold	COLOR black - white
DIN-ISO 3.0 - 10.0	DIN-ISO 3.0 - 10.0	DIN-ISO 3.0 - 10.0	DIN-ISO 3.0 - 10.0	DIN-ISO 2.5 - 9.0

COMPETITION JUNIOR



RACE 10 TCX	RACE 10	RACE JUNIOR 8
ART. NO. 6520R1MT	ART. NO. 6520R1MS	ART. NO. 6320R1MS
COLOR black - flo red	COLOR black - flo red	COLOR black - flo red
DIN-ISO 3.0 - 10.0	DIN-ISO 3.0 - 10.0	DIN-ISO 2.0 - 8.0



RACE 10 TCX	RACE 10	RACE JUNIOR 8
ART. NO. 6521S1TC	ART. NO. 6520S1TC	ART. NO. 6320S1TC
COLOR white - black - red	COLOR white - black - red	COLOR white - black - red
DIN-ISO 3.0 - 10.0	DIN-ISO 3.0 - 10.0	DIN-ISO 2.0 - 8.0

COMPETITION & RACE



RACE X-CELL 24	RACE X-CELL 18	RACE X-CELL 16	RACE X-CELL 16 GW	RACE X-CELL 12
ART. NO. 7130R1MS	ART. NO. 7120R1MS	ART. NO. 6920R1MS	ART. NO. 6920T1MB	ART. NO. 6820R1MS
COLOR black - flo red	COLOR black - flo red	COLOR black - flo red	COLOR black	COLOR black - flo red
DIN-ISO 12.0 - 24.0	DIN-ISO 8.0 - 18.0	DIN-ISO 6.0 - 16.0	DIN-ISO 6.0 - 16.0	DIN-ISO 4.0 - 12.0



RACE X-CELL 24	RACE X-CELL 18	RACE X-CELL 16	RACE X-CELL 12
ART. NO. 7130S1TC	ART. NO. 7120S1TC	ART. NO. 6920S1TC	ART. NO. 6820S1TC
COLOR white - black - red			
DIN-ISO 12.0 - 24.0	DIN-ISO 8.0 - 18.0	DIN-ISO 6.0 - 16.0	DIN-ISO 4.0 - 12.0



CLASSIC LINE



CLASSIC BOOT BAG

ART. NO.
169500
COLOR
black
SIZE IN CM
40 X 28 X 39
VOLUME IN L
45



CLASSIC BOOT & HELMET BAG

ART. NO.
169501
COLOR
black
SIZE IN CM
40,5 X 27 X 42
VOLUME IN L
46



CLASSIC BOOT & HELMET BACKPACK

ART. NO.
169502
COLOR
black
SIZE IN CM
40,5 X 27 X 42
VOLUME IN L
46



CLASSIC SINGLE SKI BAG 175CM

ART. NO.
169503
COLOR
black
SIZE IN CM
175 X 35
VOLUME IN L
80



CLASSIC DOUBLE SKI BAG 195CM

ART. NO.
169504
COLOR
black
SIZE IN CM
195 X 43
VOLUME IN L
120

TRAVEL LINE



TEAM PRO BACKPACK

ART. NO.
169516
COLOR
black
SIZE IN CM
56 x 33 x 28
VOLUME IN L
52



RACE PACK

ART. NO.
169517
COLOR
black
SIZE IN CM
61 x 20 x 30
VOLUME IN L
38



VOLKL DELUXE BOOT BAG

ART. NO.
169518
COLOR
black
SIZE IN CM
41 x 36 x 46
VOLUME IN L
68



OVER UNDER WEEKEND BAG

ART. NO.
169519
COLOR
black
SIZE IN CM
31 x 33 x 41
VOLUME IN L
42

RACE LINE



RACE BOOT PACK

ART. NO.
169550
COLOR
GS RED
SIZE IN CM
34 x 31 x 48
VOLUME IN L
55



RACE DAY PACK

ART. NO.
169551
COLOR
GS RED
SIZE IN CM
31 x 20 x 43
VOLUME IN L



RACE BOOT & HELMET BACKPACK

ART. NO.
169552
COLOR
GS RED
SIZE IN CM
39 X 30 X 47
VOLUME IN L
56



RACE BACKPACK TEAM LARGE

ART. NO.
169553
COLOR
GS RED
SIZE IN CM
35 X 34 X 65
VOLUME IN L
80



RACE BACKPACK TEAM MEDIUM

ART. NO.
169554
COLOR
GS RED
SIZE IN CM
35 X 34 X 53
VOLUME IN L
65



RACE BACKPACK TEAM SMALL

ART. NO.
169555
COLOR
GS RED
SIZE IN CM
23 X 33 X 48
VOLUME IN L
40



RACE SPORTS BAG

ART. NO.
169556
COLOR
GS RED
SIZE IN CM
71 X 35 X 47
VOLUME IN L



RACE SINGLE SKI BAG 175CM

ART. NO.
169557
COLOR
GS RED
SIZE IN CM
175 X 25 X 25
VOLUME IN L
80



RACE SINGLE SKI BAG 195CM

ART. NO.
169558
COLOR
GS RED
SIZE IN CM
195 X 25 X 25
VOLUME IN L
100



RACE SINGLE SKI BAG 165+15+15

ART. NO.
169559
COLOR
GS RED
SIZE IN CM
(165+15 X 2) X 15 X 15
VOLUME IN L
100

RACE DOUBLE SKI BAG 195CM

ART. NO.
169560
COLOR
GS RED
SIZE IN CM
195 X 35 X 35
VOLUME IN L
120



ROLLING 21" ALL PRO CARRY-ON

ART. NO.
169520
COLOR
black
SIZE IN CM
54 x 33 x 23
VOLUME IN L
42



ROLLING 24" ALL PRO DUFFEL

ART. NO.
169521
COLOR
black
SIZE IN CM
61 x 36 x 31
VOLUME IN L
70



ROLLING 30" ALL PRO DUFFEL

ART. NO.
169522
COLOR
black
SIZE IN CM
76 x 41 x 41
VOLUME IN L
130



SINGLE SKI BAG - EXP

ART. NO.
169523
COLOR
black
SIZE IN CM
200 x 20
VOLUME IN L
80



SINGLE SKI BAG - 170 CM

ART. NO.
169524
COLOR
black
SIZE IN CM
170 x 20
VOLUME IN L
70



DOUBLE + SKI BAG - 185 CM

ART. NO.
169525
COLOR
black
SIZE IN CM
185 x 33 x 20
VOLUME IN L
125



DOUBLE + SKI BAG - 200 CM

ART. NO.
169526
COLOR
black
SIZE IN CM
200 x 33 x 20
VOLUME IN L
135

ROLLING ALL PRO GEAR BAG 190 CM

ART. NO.
169527
COLOR
black
SIZE IN CM
190 x 36 x 25
VOLUME IN L
150



MDV LINE



MDV TEAM PRO BACKPACK

ART. NO.
169531
COLOR
black
SIZE IN CM
56 x 33 x 28
VOLUME IN L
25



MDV TEAM BACKPACK LARGE

ART. NO.
169561
COLOR
stone grey
SIZE IN CM
35 x 34 x 65
VOLUME IN L
80



MDV TEAM BACKPACK MEDIUM

ART. NO.
169562
COLOR
stone grey
SIZE IN CM
35 x 34 x 53
VOLUME IN L
65



MDV RACE 4PAIR SKI BAG PADDED 230 CM

ART. NO.
169563
COLOR
stone grey
SIZE IN CM
238 x 141
VOLUME IN L

DALBELLO LINE



DALBELLO PROMO BAG

ART. NO.
169532
COLOR
black/green
SIZE IN CM
43 x 25 x 41
VOLUME IN L
33



DALBELLO BOOT & HELMET BACKPACK

ART. NO.
169533
COLOR
black/green
SIZE IN CM
39 x 30 x 47
VOLUME IN L
56



DALBELLO DELUXE BOOT BAG

ART. NO.
169534
COLOR
black/green
SIZE IN CM
41 x 36 x 46
VOLUME IN L
65

19 | 20
BAGS



ALPINE & FREESKI



	SPEEDSTICK RED	SPEEDSTICK YELLOW	PHANTASTICK CARBON	SPEEDSTICK BLACK	PHANTASTICK GREEN	PHANTASTICK BLUE
ART. NO.	169802	169803	169800	169804	169805 (16MM)	169807 (16MM)
COLOR	GS red	SL yellow	black carbon	black	green fade	blue fade
LENGTH	110 - 135 mm	110 - 135 mm	110 - 135 mm	110 - 135 mm	110 - 135 mm	110 - 135 mm
					169806 (18MM) 90 - 135 mm	169808 (18MM) 90 - 135 mm



	PHANTASTICK RED	PHANTASTICK BLACK	PHANTASTICK WHITE	PHANTASTICK 3 BLACK	PHANTASTICK 3 WHITE
ART. NO.	169809 (16MM)	169811 (16MM)	169813 (16MM)	169815	169816
COLOR	red fade	black fade	white fade	black	white
LENGTH	110 - 135 mm	110 - 135 mm	110 - 135 mm	110 - 135 mm	110 - 135 mm
	169810 (18MM) 90 - 135 mm	169812 (18MM) 90 - 135 mm	169814 (18MM) 90 - 135 mm		

WMS



	PHANTASTICK W WHITE	PHANTASTICK W PINK	PHANTASTICK W PURPLE
ART. NO.	169817	169818	169819
COLOR	white fade	pink fade	turquoise fade
LENGTH	100 - 130 mm	100 - 130 mm	100 - 130 mm

RENTASTICK



	RENTASTICK CARBON	RENTASTICK ALU	RENTASTICK KIDS
ART. NO.	169826	169827	169828
COLOR	colour coded	colour coded	colour coded
LENGTH	110 - 135 mm	110 - 135 mm	70-105 mm

TOURISTICK



	TOURISTICK CC	TOURISTICK AC	TOURISTICK AA
ART. NO.	169829	169830	169831
COLOR	blue	red	green
LENGTH	adjustable	adjustable	adjustable

JUNIOR

19 | 20

POLES PHANTASTICK



	SPEEDSTICK JUNIOR RED	SPEEDSTICK KIDS BLACK	PHANTASTICK JUNIOR RED	PHANTASTICK JUNIOR BLUE	PHANTASTICK KIDS PINK	PHANTASTICK KIDS GREEN
ART. NO.	169820	169821	169822	169823	169824	169825
COLOR	GS red	black	red fade	blue fade	pink fade	green fade
LENGTH	90-110 mm	70-105 mm	90 - 110 mm	90 - 110 mm	70 - 105 mm	70 - 105 mm



LASER STRUCTURED GRIP ZONE

Enhanced grip no matter which temperature

„Sophisticated“ look and feel



DUAL CORE GRIP

Soft rubber surface combined with lightweight polyamid

Ergonomic shape



LIGHT AND STRONG ALLOY SHAFT

Highest quality alloy 7075

Perfect weight/performance ratio

LOTS INCLUDING DISPLAY



PHANTASTICK 16MM LOT
(25 pairs + display)

ART. NO.
169750
COLOR
green

PHANTASTICK 18 MM LOT
(25 pairs + display)

ART. NO.
169751
COLOR
green

LOT NO.	DESCRIPTION	LOT UPC CODE					
169750	Phantastick 16mm Lot (25 Pairs + Display)	821264685563					
item nos.	models	110	115	120	125	Total	Total
169805	Phantastick 16mm Green		1	2	2	5	25
169807	Phantastick 16mm Blue		1	2	2	5	
169809	Phantastick 16mm Red		1	2	2	5	
169811	Phantastick 16mm Black		1	2	2	5	
169813	Phantastick 16mm White		1	2	2	5	

LOT NO.	DESCRIPTION	LOT UPC CODE					
169751	Phantastick 18mm Lot (25 Pairs + Display)	821264685570					
item nos.	models	110	115	120	125	Total	Total
169806	Phantastick 18mm Green		2	2	2	6	25
169808	Phantastick 18mm Blue	1	1	2	2	6	
169810	Phantastick 18mm Red		1	2	2	5	
169812	Phantastick 18mm Black		1	2	2	5	
169814	Phantastick 18mm White	1	1	1		3	

19 | 20

POS

VÖLKL BASIC POS



1

INDOOR BEACH FLAG

Art. No. 197699.0
Material Aluminium, Fiberglass, Polyester
Size 50 x 220cm



3

OUTDOOR BEACH FLAG

Art. No. 197695.0
Material Aluminium, Fiberglass, Polyester
Size 80 x 450cm



5

VÖLKL SKI HIGHLIGHT DISPLAY STAND FOR 2 SKI

Art. No. 197845.0
Material Aluminium, MDF-Wood
Size 36 x 36 x 15cm



7

VÖLKL CI SEATCUBE

Art. No. 197512.5
Material Foam, PVC
Size 45 x 45 x 45cm



8

VÖLKL SKI RACK

Art. No. 190141.1
Material Stainless Steel
Size 122 x 39 x 41cm



2

BANNER

Art. No. 197691.0
Material Polyester
Size 3 x 1m



4

DOOR MAT

Art. No. 197587.0
Material Nylon
Size 90 x 60cm



6

VÖLKL MAGNETIC SKI INFO DISPLAY

Art. No. 197846.0
Material Forex Board, Magnetic Tape
Size 8,5 x 8,5cm

Magnetic ski info display for ski edges (incl. 3 tech stickers)



2

3

1

4

8

7

6

5



RACE

19 | 20
**SKI
OVERVIEW**



ART. NO.	119001	119011	119021	119031	119041	119051	119061	119071	119081	
SIDECUT LENGTH (RADIUS)	114_69_97 175 (18.3), 180 (19.4), 185 (20.6)	114_69_97 170 (17.1), 175 (18.3), 180 (19.4), 185 (20.6)	127_68_103 165 (12.6)	127_68_103 150 (10.2), 155 (11.0), 160 (11.8), 165 (12.6), 170 (13.4)	119_71_100 170 (15.6), 175 (16.6), 180 (17.7), 123_70_103 165 (13.0)	119_71_100 170 (15.6), 175 (16.6), 180 (17.7), 123_70_103 165 (13.0)	119_71_100 175 (16.7), 123_70_103 150 (10.5), 155 (11.3), 160 (12.1), 165 (13.0), 170 (13.9)	119_71_100 175 (16.6), 123_70_103 150 (10.5), 155 (11.3), 160 (12.1), 165 (13.0), 170 (13.9)	119_71_100 175 (16.6), 123_70_103 150 (10.5), 155 (11.3), 160 (12.1), 165 (13.0), 170 (13.9)	123_70_103 150 (10.5), 155 (11.3), 160 (12.1), 165 (13.0)

PISTE / ALL MOUNTAIN



ART. NO.	119111	119131	119151	119171	119175	119101	119121	119141	119161	
SIDECUT LENGTH (RADIUS)	122_76_103 176 (18.3), 181 (19.4)	122_76_103 171 (17.2), 176 (18.3), 181 (19.4)	125_74_104 173 (16.0), 178 (17.0)	125_74_104 163 (14.0), 168 (15.0), 173 (16.0), 178 (17.0)	126_75_105 147 (11.3), 154 (12.2), 161 (13.5), 168 (15.0), 175 (16.5)	122_76_103 176 (18.3), 181 (19.4)	122_76_103 171 (17.2), 176 (18.3), 181 (19.4)	122_76_103 171 (17.2), 176 (18.3), 181 (19.4)	125_74_104 163 (14.0), 168 (15.0), 173 (16.0), 178 (17.0)	125_74_104 163 (14.0), 168 (15.0), 173 (16.0), 178 (17.0)

PISTE / ALL MOUNTAIN



ART. NO.	119181	119221	119231	119241	119191	119201	119211	
SIDECUT LENGTH (RADIUS)	126_75_105 147 (11.3), 154 (12.2), 161 (13.5), 168 (15.0), 175 (16.5)	132_84_115 162 (13.9), 167 (14.8), 172 (15.8), 177 (16.9), 182 (17.9)	128_80_111 162 (13.9), 167 (14.8), 172 (15.8), 177 (16.9), 182 (17.9)	129_79_109 156 (12.7), 163 (14.1), 170 (15.6), 177 (17.1)	124_76_105 154 (12.7), 161 (14.2), 168 (15.7), 175 (17.3)	124_76_105 147 (11.8), 154 (12.7), 161 (14.2), 168 (15.7), 175 (17.3)	124_76_105 147 (11.8), 154 (12.7), 161 (14.2), 168 (15.7), 175 (17.3)	123_72_104 144 (10.1), 151 (11.4), 158 (12.7), 165 (14.0), 172 (15.5)

WOMEN



ART. NO.	119281	119291	119251	119261	119271	119301	119311	119321
SIDECUT LENGTH (RADIUS)	128_81_109 149 (12.3), 156 (13.3), 163 (14.7), 170 (16.3)	129_79_109 149 (11.8), 156 (12.7), 163 (14.1), 170 (15.6)	123_70_103 150 (10.5), 155 (11.3), 160 (12.1), 165 (13.0)	122_73_103 153 (12.4), 158 (13.4), 163 (14.3)	126_75_105 147 (11.3), 154 (12.2), 161 (13.5), 168 (15.0)	124_76_105 147 (11.8), 154 (12.7), 161 (14.2)	124_76_105 147 (11.8), 154 (12.7), 161 (14.2)	123_72_104 137 (9.4), 144 (10.1), 151 (11.4), 158 (12.7), 165 (14.0)

TOURING



ART. NO.	119382	119384	117374	117376	117378	117382	117384	117388
SIDECUT LENGTH (RADIUS)	134_109_119 166 (18.5), 176 (22.4), 186 (26.5)	127_90_109 163 (15.6), 170 (17.6), 177 (19.6), 184 (21.8)	127_90_109 163 (15.6), 170 (17.6), 177 (19.6), 184 (21.8)	141_108_124 173 (19.7), 181 (22.0), 189 (24.5)	133_98_116 156 (14.6), 163 (15.9), 170 (17.9), 177 (20.1), 184 (22.3)	127_88_106 160 (16.3), 170 (18.9), 180 (21.6)	122_84_104 162 (16.5), 170 (18.3), 178 (20.3)	118_80_100 150 (13.5), 156 (14.7), 163 (16.5), 170 (18.3), 175 (19.6)

FREERIDE



ART. NO.	119400	119402	119404	119406	119408	119410	118418	119412	119414	119416	
SIDECUT LENGTH (RADIUS)	144_117_133 179 (21.2), 186 (23.8), 193 (26.5)	140_102_123 170 (18.1), 177 (20.1), 184 (21.4), 191 (23.5)	134_96_117 170 (17.9), 177 (19.8), 184 (21.2), 191 (23.3)	130_92_113 170 (17.9), 177 (19.8), 184 (21.2)	129_88_111 163 (15.0), 170 (16.8), 177 (18.6), 184 (19.8)	123_84_104 154 (14.6), 161 (15.8), 168 (17.6), 175 (19.6), 182 (21.6)	123_84_104 147 (12.9), 154 (14.6), 161 (15.8), 168 (17.6)	123_84_104 147 (12.9), 154 (14.6), 161 (15.8), 168 (17.6)	140_102_123 156 (14.5), 163 (16.3), 170 (18.1)	130_92_113 149 (12.6), 156 (14.2), 163 (16.0), 170 (17.9)	129_88_111 149 (11.9), 156 (13.4), 163 (15.0), 170 (16.8)

FREESTYLE



ART. NO.	119436	119438	119440	119442	119444	119446	119448	
SIDECUT LENGTH (RADIUS)	143_121_135 177 (17.4), 184 (19.2), 191 (21.7)	129_95_119 157 (16.7), 165 (18.6), 173 (21.3), 181 (23.4)	115_87_115 161 (16.3), 169 (18.2), 177 (20.2), 185 (22.3)	120_86_110 148 (14.8), 156 (16.6), 164 (18.5), 172 (21.2), 180 (23.3)	120_86_110 148 (14.8), 156 (16.6), 164 (18.5), 172 (21.2), 180 (23.3)	120_86_110 148 (14.8), 156 (16.6), 164 (18.5), 172 (21.2)	120_86_110 148 (14.8), 156 (16.6), 164 (18.5), 172 (21.2)	111_81_104 148 (13.9), 158 (16.3), 168 (18.9), 178 (21.8)



ART. NO.	118424	118426	118428	118430	118420	118422
SIDECUT LENGTH (RADIUS)	141_108_124 173 (19.7), 181 (22.0), 189 (24.5)	141_108_124 157 (14.6), 165 (16.7), 173 (19.7)	133_98_116 163 (15.9), 170 (17.9), 177 (20.1), 184 (22.3)	133_98_116 156 (14.6), 163 (15.9), 170 (17.9)	141_112_131 177 (23.4), 143_112_132 184 (23.5), 191 (25.9)	135_99_117 170 (18.0), 178 (20.8), 186 (23.0)

JUNIOR



ART. NO.	119461 (VMotion) 119460 (Flat)	119465 (VMotion) 119464 (Flat)	119469 (VMotion) 119468 (Flat)	119473 (VMotion) 119472 (Flat)	119432	119434	119450 (VMotion) 119452 (Flat)	119454	119456 (VMotion) 119458 (Flat)	
SIDECUT LENGTH (RADIUS)	93_67_76 70 (4.7)** 80 (6.6), 90 (8.8), 100_68_82 100 (8.3), 110 (10.4), 120 (12.7) 109_69_88 130 (11.2), 140 (13.3), 150 (15.6), 160 (17.9)	93_67_76 70 (4.7)** 80 (6.6), 90 (8.8), 100_68_82 100 (8.3), 110 (10.4), 120 (12.7) 109_69_88 130 (11.2), 140 (13.3), 150 (15.6), 160 (17.9)	93_67_76 70 (4.7)** 80 (6.6), 90 (8.8), 100_68_82 100 (8.3), 110 (10.4), 120 (12.7) 109_69_88 130 (11.2), 140 (13.3), 150 (15.6), 160 (17.9)	93_67_76 70 (4.7)** 80 (6.6), 90 (8.8), 100_68_82 100 (8.3), 110 (10.4), 120 (12.7) 109_69_88 130 (11.2), 140 (13.3), 150 (15.6), 160 (17.9)	132_100_116 143 (14.9), 153 (17.5), 163 (20.3)	118_86_111 118 (8.3), 128 (10.2), 138 (12.3), 148 (14.5), 158 (16.9)	106_74_99 118 (8.9), 128 (10.8), 138 (13.0), 148 (15.3)	106_74_99 118 (8.9), 128 (10.8), 138 (13.0), 148 (15.3)	106_74_99 118 (8.9), 128 (10.8), 138 (13.0), 148 (15.3)	96_66_89 88 (4.6), 98 (6.0), 108 (7.7)

RENTAL



ART. NO.	119361 Protected Sticker Area	119363 Protected Sticker Area	119365 (w Plate)	119367 (w Plate) 119370	119350	119352	119354	119356
SIDECUT LENGTH (RADIUS)	118_74_103 128 (8.3), 135 (9.5), 142 (10.8), 149 (12.2), 156 (13.1), 163 (14.5), 170 (16.1), 177 (17.7)	125_76_105 133 (9.2), 140 (10.4), 147 (11.7), 154 (13.1), 161 (14.1), 168 (15.5), 175 (17.1)	125_76_105 133 (9.2), 140 (10.4), 147 (11.7), 154 (13.1), 161 (14.1), 168 (15.5), 175 (17.1)	125_80_109 130 (9), 137 (10.2), 144 (11.5), 151 (12.5), 158 (13.9), 165 (15.4), 172 (17), 179 (18.7)	134_96_117 170 (17.9), 177 (19.8), 184 (21.2), 191 (23.3)	127_90_110 163 (16.8), 170 (18.7), 177 (20.8), 184 (22.2)	123_84_104 154 (14.6), 161 (15.8), 168 (17.6), 175 (19.6), 182 (21.6)	111_81_104 148 (13.9), 158 (16.3), 168 (18.9), 178 (21.8)

* Weight can vary slightly due to the production cycles.

** Only available for flat ski.

Subject to alteration.

MARKER IS A MEMBER OF MDV SPORTS

MARKER

DALBELLO

VÖLKL

VOELKL.COM | MDVSPORTS.COM

IMPRINT

INTERNATIONAL HEADQUARTER

Marker Dalbello Vökl (International) GmbH
Ruessenstrasse 6
6341 Baar
Switzerland
Phone +41 41 769-73-00
Fax +41 41 769-73-92
info@voelkl.com
www.voelkl.com



Photography: Adam Clark, Peter Mathis, GEPA,
Michael Mayer, Pally Learmond
Created & produced by: yearning.de

Marker, X-cell, UVO, Piston Control, Glide, Fastrak, EPS, Deacon, Duke, Jester, Baron, Griffon, Squire, Schizo, Ampire, Lord, i.Roc, Biotech, Gripwalk, Kingpin, Vökl, Vökl Freeski, Bio-Logic, Racetiger, Code, v-werks, Speedwall, UVO, Katana, Inuk, Nunataq, Phantastick, Shiro, Kink, Pyra, Motion, Ride the Mountain and Essenza are registered trademarks of Marker Vökl International GmbH and other marks are pending.

© 2018 by Vökl. Subject to alternation